

507068-2026 - Zadávání

Norsko – Scada (Supervisory Control And Data Acquisition) nebo podobné systémy – Operational control water and sewage.

OJ S 139/2026 22/07/2026

**Oznámení o zahájení zadávacího nebo koncesního řízení – standardní režim - Oznámení oprav
Dodávky - Služby**

1. Kupující

1.1. Kupující

Oficiální název: Fredrikstad kommune

E-mail: eirik@odinprosjekt.no

Právní forma kupujícího: Veřejnoprávní subjekt ovládaný místním orgánem

Činnost veřejného zadavatele: Služby pro širokou veřejnost

Činnost zadavatele: Činnosti související s vodou

2. Řízení

2.1. Řízení

Název: Operational control water and sewage.

Popis: The procurement is for the procurement of a new operational control plant for all water and sewage installations in Fredrikstad municipality. In addition a framework agreement will be signed for the delivery of new PLC installations, upgrading PLS installations at existing stations, work in connection with changes/additions to the operations control plant and automation work on other installations within water and sewage. A maintenance agreement will also be signed for operation control installations, as well as new and existing PLS installations in the municipality. See the procurement documents for further information.

Identifikátor řízení: 90a0e826-a727-4df8-9d07-337f5336987f

Interní identifikátor: 2026/16360

Typ řízení: Jednací řízení s uveřejněním / jednací řízení

Řízení se zrychlí: ne

Hlavní prvky řízení: The procurement is for the procurement of a new operational control plant for all water and sewage installations in Fredrikstad municipality. In addition a framework agreement will be signed for the delivery of new PLC installations, upgrading PLS installations at existing stations, work in connection with changes/additions to the operations control plant and automation work on other installations within water and sewage. A maintenance agreement will also be signed for operation control installations, as well as new and existing PLS installations in the municipality. See the procurement documents for further information.

2.1.1. Účel

Charakter smlouvy: Dodávky

Další charakteristika zakázky: Služby

Hlavní klasifikace (cpv): 42961200 Scada (Supervisory Control And Data Acquisition) nebo podobné systémy

Další klasifikace (cpv): 38343000 Zařízení pro kontrolu chyb, 38570000 Regulační a kontrolní přístroje a nástroje, 38800000 Zařízení pro řízení průmyslových procesů a pro dálková řízení, 42961000 Velicí a řídící systémy, 45315100 Instalace a montáž elektrotechnického zařízení, 48151000 Počítačové řídící systémy, 48921000 Automatické systémy, 50324100 Údržba

systémů, 51542200 Instalace a montáž strojů na výrobu nápojů, 72200000 Programování programového vybavení a poradenské služby, 72267000 Údržba a opravy programového vybavení

2.1.2. Místo plnění

Nižší územní jednotka země (NUTS): Østfold (NO083)

Země: Norsko

Další informace: 7.2 Justification for exceptions from the main rule on weighting climate and environmental considerations. The procurement is for the procurement of an operational control system within W&S, including installation of the necessary equipment, and it is being carried out in accordance with the utilities regulation part II. The main contract element is the delivery of software that shall be installed on-prem at the customer. This part of the delivery is considered to have limited climate and environmental impact. The most relevant environmental conditions in the procurement are therefore connected to the physical parts of the delivery, including transport, installation work, emissions from vehicles, return of equipment and packaging, as well as waste handling. The contracting authority estimates that climate and environmental considerations in this procurement are clearly best taken care of through concrete and binding minimum requirements in the requirement specifications and contract, rather than as a separate award criterion. The background is that the significant environmental impacts can be identified in advance and regulated directly through requirements that all tenderers must fulfil. There are, therefore, minimum requirements for vehicles used during the delivery, including requirements for EURO class 6/STEG IV and that class B vehicles shall be zero emission vehicles. In addition there are requirements for reliable handling of returns, packaging and minimum requirements for source sorting. The requirements are made to contractual obligations and can be followed-up in the execution of the contract. Based on this, the contracting authority considers that concrete environmental requirements will give a clearly better environmental effect than an evaluation of climate and the environment as the award criteria.

2.1.3. Hodnota

Odhadovaná hodnota bez DPH: 30 000 000,00 NOK

2.1.4. Obecné informace

Právní základ:

Směrnice 2014/25/EU

Forsyningsforskriften - The municipality's activities within the production, transport and distribution of drinking water are a supply activity covered by the utilities regulations § 1-5 first section.

Forsyningsforskriften - Extended qualification deadline.

2.1.6. Důvody pro vyloučení

Zdroje důvodů pro vyloučení: Jednotné evropské osvědčení pro veřejné zakázky (ESPD)

5. Část

5.1. Část: LOT-0000

Název: Operational control water and sewage.

Popis: The procurement is for the procurement of a new operational control plant for all water and sewage installations in Fredrikstad municipality. In addition a framework agreement will be signed for the delivery of new PLC installations, upgrading PLS installations at existing stations, work in connection with changes/additions to the operations control plant and

automation work on other installations within water and sewage. A maintenance agreement will also be signed for operation control installations, as well as new and existing PLS installations in the municipality. See the procurement documents for further information.
Interní identifikátor: 2026/16360

5.1.1. Účel

Charakter smlouvy: Dodávky

Další charakteristika zakázky: Služby

Hlavní klasifikace (cpv): 42961200 Scada (Supervisory Control And Data Acquisition) nebo podobné systémy

Další klasifikace (cpv): 38343000 Zařízení pro kontrolu chyb, 38570000 Regulační a kontrolní přístroje a nástroje, 38800000 Zařízení pro řízení průmyslových procesů a pro dálková řízení, 42961000 Velící a řídicí systémy, 45315100 Instalace a montáž elektrotechnického zařízení, 48151000 Počítačové řídicí systémy, 48921000 Automatické systémy, 50324100 Údržba systémů, 51542200 Instalace a montáž strojů na výrobu nápojů, 72200000 Programování programového vybavení a poradenské služby, 72267000 Údržba a opravy programového vybavení

5.1.2. Místo plnění

Nižší územní jednotka země (NUTS): Østfold (NO083)

Země: Norsko

Další informace: 7.2 Justification for exceptions from the main rule on weighting climate and environmental considerations. The procurement is for the procurement of an operational control system within W&S, including installation of the necessary equipment, and it is being carried out in accordance with the utilities regulation part II. The main contract element is the delivery of software that shall be installed on-prem at the customer. This part of the delivery is considered to have limited climate and environmental impact. The most relevant environmental conditions in the procurement are therefore connected to the physical parts of the delivery, including transport, installation work, emissions from vehicles, return of equipment and packaging, as well as waste handling. The contracting authority estimates that climate and environmental considerations in this procurement are clearly best taken care of through concrete and binding minimum requirements in the requirement specifications and contract, rather than as a separate award criterion. The background is that the significant environmental impacts can be identified in advance and regulated directly through requirements that all tenderers must fulfil. There are, therefore, minimum requirements for vehicles used during the delivery, including requirements for EURO class 6/STEG IV and that class B vehicles shall be zero emission vehicles. In addition there are requirements for reliable handling of returns, packaging and minimum requirements for source sorting. The requirements are made to contractual obligations and can be followed-up in the execution of the contract. Based on this, the contracting authority considers that concrete environmental requirements will give a clearly better environmental effect than an evaluation of climate and the environment as the award criteria.

5.1.3. Odhadovaná doba trvání

Doba trvání: 120 Měsíce

5.1.4. Obnovení

Maximální počet obnovení: 8

Další informace o obnovení: The framework agreement will be valid for 2 years, with an option for a further extension for up to 8 years, with 12 months at a time (maximum up to 10 years).

5.1.5. Hodnota

5.1.6. Obecné informace

Vyhrazená účast:

Účast není vyhrazena.

Projekt veřejných zakázek, který není financován z prostředků EU

Na zakázku se vztahuje Dohoda o vládních zakázkách: ne

5.1.9. Kritéria pro výběr

Zdroje výběrových kritérií: Jednotné evropské osvědčení pro veřejné zakázky (ESPD),
Zadávací dokumentace

Informace o druhé fázi dvoufázového řízení:

Minimální počet uchazečů, kteří budou pozváni do druhé fáze řízení: 3

Maximální počet uchazečů, kteří budou pozváni do druhé fáze řízení: 3

Řízení proběhne v několika na sebe navazujících fázích. V každé fázi mohou být určití účastníci vyřazeni

5.1.10. Kritéria pro zadání

Kritérium:

Typ: Cena

Jméno/název: Price

Popis: Completed price forms Annex 4.1, Annex 4.2 and Annex 4.3.

Kategorie kritéria pro zadání s váhou: Váha (procenta, přesně)

Číslo spojené s kritériem pro zadání zakázky: 40

Kritérium:

Typ: Kvalita

Jméno/název: Quality

Popis: The contracting authority will emphasise more fulfilment of the S/M requirements as well as fulfilment of B-requirements within the following points: From SSA-T – Operations Control System: o System architecture (topology) (Annex 1, Chapter 5, 5.2, 5.3) o User interface with examples of monitor images, operation and time response (Annexes 1, Chapters 5.5 and 5.6). o Alarm system (Annex 1, Chapter 5.7) o Historical storage and trend system (Annex 1, Chapter 5.8) o Report System (Annex 1, Chapter 5.9) o Functions (Annex 1, Chapter 5.10) o Information security (including any certifications) (Annex 1, Chapter 5.4). From The Framework Agreement Automation, Technical Description o The offered PLS equipment with programming tools (Chapter 4). From SSA-V - Maintenance Contracts o The contracting authority's requirement specifications, annex 1

Kategorie kritéria pro zadání s váhou: Váha (procenta, přesně)

Číslo spojené s kritériem pro zadání zakázky: 30

Kritérium:

Typ: Kvalita

Jméno/název: Competence

Popis: An evaluation will also be made on fulfilment of the minimum requirements stated, cf. the tender documentation annex 1.2 SSA-T, Annex 1 Point 8.3 Personnel Requirements.

Kategorie kritéria pro zadání s váhou: Váha (procenta, přesně)

Číslo spojené s kritériem pro zadání zakázky: 20

Kritérium:

Typ: Kvalita

Jméno/název: Implementation plan

Popis: The detailed description delivered in annex 2 will be evaluated with a particular focus on: o Described implementation plan o Progress plan o Dealing with deviations, up to and

including the delivery day. o Interaction The contracting authority will particularly emphasise realistic plans including considerations to time and resources, as well as routines for processing deviations. Particular emphasis will be put on cooperation with the customer.

Kategorie kritéria pro zadání s váhou: Váha (procenta, přesně)

Číslo spojené s kritériem pro zadání zakázky: 10

5.1.11. **Zadávací dokumentace**

Jazyky, v nichž je oficiálně k dispozici zadávací dokumentace: norština

Adresa zadávací dokumentace: <https://permalink.mercell.com/285298045.aspx>

5.1.12. **Podmínky zadávání zakázek**

Podmínky podání:

Elektronické podání: Požadována

Adresa pro podání: <https://permalink.mercell.com/285298045.aspx>

Jazyky, v nichž lze podávat nabídky nebo žádosti o účast: norština

Elektronický katalog: Povolena

Požaduje se zaručený nebo kvalifikovaný elektronický podpis nebo pečeť (podle definice v nařízení (EU) č 910/2014)

Varianty: Nepovolena

Lhůta pro doručení žádostí o účast: 19/08/2026 10:00:00 (UTC+00:00) západoevropský čas

Smluvní podmínky:

Plnění zakázky musí být provedeno v rámci programů chráněného zaměstnání: Ne

Podmínky týkající se plnění zakázky: See the procurement documents.

Požaduje se dohoda o zachování mlčenlivosti: ne

Finanční ujednání: See the procurement documents.

5.1.15. **Techniky**

Rámcová dohoda:

Rámcová dohoda bez obnovení soutěže

Maximální počet účastníků: 1

Odůvodnění doby platnosti rámcové dohody: The contracting authority considers that there are special conditions that suggest that the framework agreement's length should exceed the main rule of eight years in the utilities regulations § 22-1 (4). The supply regulations explicitly open for this, when, among other things, the contract's purpose, investment costs or the users' needs make it necessary. In this procurement, the framework agreement is for operational control systems and PLC systems, which are a part of the critical infrastructure for water /sewage. This type of system has a technical and operational character that separates them from normal IT systems and other standardised systems. There are several conditions that, in total, mean that a longer contract period is both proportionally, necessary and socially justifiable. 1. Considerable investments and a need for depreciation over a long period of time. The implementation of operational control systems and PLS systems requires: · comprehensive software and licence costs · complex integrations with existing installations, PLCs, sensors and communication infrastructure. · adaptations, testing, redundancy set up and security functions These are investments that normally have to be written off over more than eight years in order to be financially justifiable. The supply regulations allow a longer agreement when investment costs make it necessary. 2. High costs and risks of supplier changes. The systems have a high complexity and major consequences in the event of an error. A change of supplier involves significant risk, including: · operational interruptions in critical infrastructure · alterations to entire control room systems. · training of operational personnel · security risks from migration of historical data, alarms and control functions. 3. Technological lifetime and long term security need The systems are a part of social critical

infrastructure. Stability, continuity and cyber security require: · long-term updating course · predictable patch and maintenance strategy · dedicated supplier follow-up · robustness in supplier relation. The actual technical lifetime of the systems can be 15-20 years, and a short framework agreement will involve more frequent procurements of goods - which is not compatible with the requirements on proportionality and resource use in the procurement regulations. 4. Need for continual development and adaptation. The supply sector is facing: · increasing digitalisation · stricter security requirements · new regulatory requirements (e.g. connected to the NIS directive) · increased automation An operational control system must be continually developed throughout its life cycle. A framework agreement for a longer length is therefore necessary to ensure: · the tenderer's long-term obligation · consistent developments. · avoidance of fragmented parallel solutions Conclusion Based on the systems' technical complexity, considerable investment costs, high replacement costs, critical social function and the need for continual security follow-up, the Contracting Authority considers special conditions in accordance with the Utilities Regulation § 22-1 (4), which justifies that the framework agreement period is set beyond the main rule of eight years. This duration will be seen as: · proportionally · necessary · in accordance with the rules' opening for an extended framework agreement period for special conditions

Informace o dynamickém nákupním systému:

Žádný dynamický nákupní systém

5.1.16. Další informace, mediace a přezkum

Organizace příslušná pro přezkum: Søndre Østfold tingrett

Informace o lhůtách pro přezkum: Pursuant to the Utilities Regulations § 16-5, the deadline is set to petition for a temporary injunction against the contracting authority's decision on rejection or selection of tenderers at 15 calendar days, calculated from the day after the notification of the decision has been sent.

Organizace poskytující další informace o zadávacím řízení: Fredrikstad kommune

Organizace poskytující další informace o podání návrhů na přezkum: Fredrikstad kommune

8. Organizace

8.1. ORG-0001

Oficiální název: Fredrikstad kommune

Registrační číslo: 940039541

Poštovní adresa: Rådhuset, Nygaardsgaten 14-16

Obec: FREDRIKSTAD

PSC: 1606

Nižší územní jednotka země (NUTS): Østfold (NO083)

Země: Norsko

Kontaktní místo: Eirik Steine

E-mail: eirik@odinprosjekt.no

Telefon: +47 90063037

Internetová adresa: <https://odinprosjekt.no/>

Úlohy této organizace:

Kupující

Organizace poskytující další informace o zadávacím řízení

Organizace poskytující další informace o podání návrhů na přezkum

8.1. ORG-0002

Oficiální název: Søndre Østfold tingrett

Registrační číslo: 926722808

Obec: FREDRIKSTAD

PSČ: 1607

Nižší územní jednotka země (NUTS): Østfold (NO083)

Země: Norsko

Úlohy této organizace:

Organizace příslušná pro přezkum

10. Změna

Znění předchozího oznámení, které má být změněno

:

be7be64d-f944-4715-b68e-7b3c2c3fe273-01

Hlavní důvod změny

:

Oprava chyb kupujícího

Popis

:

Extended qualification deadline.

10.1. Změna

Identifikátor sekce: PROCEDURE

Popis změn: Extended qualification deadline.

10.1. Změna

Identifikátor sekce: LOT-0000

Popis změn: Extended qualification deadline.

Oznámení - informace

Identifikátor oznámení/verze: b7871a92-55d9-4db0-9b4c-2823a8c0ca07 - 01

Druh formuláře: Zadávání

Typ oznámení: Oznámení o zahájení zadávacího nebo koncesního řízení – standardní režim

Podtyp oznámení: 17

Datum odeslání oznámení: 21/07/2026 07:55:19 (UTC+00:00) západoevropský čas

Datum odeslání oznámení (eSender): 21/07/2026 08:09:06 (UTC+00:00) západoevropský čas

Jazyky, v nichž je toto oznámení oficiálně k dispozici: angličtina

Číslo zveřejnění oznámení: 507068-2026

Číslo vydání v řadě S Úř. věst.: 139/2026

Datum zveřejnění: 22/07/2026