

302011-2026 - Konkurrencevilkår

Norge – Arbejder til havs – Gjennomseiling Herøy - Ulstein

OJ S 85/2026 04/05/2026

Udbuds- eller koncessionsbekendtgørelse – standardordningen - Meddelelse om ændring
Bygge- og anlægsarbejder

1. Køber

1.1. Køber

Officielt navn: KYSTVERKET

E-mail: hallvard.svendsen@kystverket.no

Køberens retlige status: Offentligretligt organ, der styres af en central regeringsmyndighed

Den ordregivende myndigheds aktivitet: Generelle offentlige tjenesteydelser

2. Procedure

2.1. Procedure

Titel: Gjennomseiling Herøy - Ulstein

Beskrivelse: The main road from Røyrasundet to Svædet in Herøy and Ulstein municipalities shall be elaborated. The main aim is to increase security and ease of navigation in a complex and weather prone fairway. The measure comprises a total of 3 deepening areas

Skinnbrokeleia, Kyrkjefluda and Svædet. It is planned to dredge all areas to a depth of -11.3 metres (nautical chart wool). The total planned deepening area is approx. 86,000 m² and the calculated deepening volume is approx. 175,000 cubic metres of engineered solid matter (pfm³). The project has two regulated and approved seabed deposits, one in direct connection to the deepening area at Skinnbrokeleia and one at Kyrkjefluda. The project has an option to transport the dredged materials to Herøy municipality's filling area Paradisbukta.

Identifikator for proceduren: 55ed1a50-9258-45a1-b959-157674412f4f

Intern ID: 2026/1130

Udbudsprocedure: Offentligt udbud

Proceduren er en hasteprocedure: nej

Hovedpunkterne i proceduren: The main aim is to increase security and ease of navigation in a complex and weather prone fairway. The measure comprises a total of 3 deepening areas Skinnbrokeleia, Kyrkjefluda and Svædet. It is planned to dredge all areas to a depth of -11.3 metres. The total planned deepening area is approx. 86,000 m² and the calculated deepening volume is approx. 175,000 cubic metres designed in-situ volum (pfm³). The project has two regulated and approved seabed deposits, one in direct connection to the dredging area at Skinnbrokeleia and one at Kyrkjefluda. The project has an option to transport the dredged materials to Herøy municipality's filling area Paradisbukta.

2.1.1. Formål

Kontraktens hovedformål: Bygge- og anlægsarbejder

Primær klassifikation (cpv): 45244000 Arbejder til havs

Supplerende klassifikation (cpv): 45240000 Arbejder i forbindelse med udførelse af vandbygningsanlæg, 45247100 Arbejder i forbindelse med vandveje, 45252124 Opmudring og pumpearbejder

2.1.2. Udførelsessted

Landsdel (NUTS): Møre og Romsdal (NO0A3)

Land: Norge

2.1.4. Generelle oplysninger

Retsgrundlag:

Direktiv 2014/24/EU

Anskaffelsesforskriften - The procurement process is covered by the Public Procurement Act, 17 June 2016 (LOA) and the Public Procurement Regulations (FOA) FOR 2016-08-12-971.

PPR parts I and III. The contract will be awarded in accordance with the open tender contest procedure, cf. FOA 13-1(1). This is a procurement procedure that does not allow negotiations.

Anskaffelsesforskriften - The procurement process is covered by the Public Procurement Act, 17 June 2016 (LOA) and the Public Procurement Regulations (FOA) FOR 2016-08-12-971.

PPR parts I and III. The contract will be awarded in accordance with the open tender contest procedure, cf. FOA 13-1(1).

2.1.6. Udelukkelsesgrunde

Kilder til grundlag for udelukkelse: Fælles europæisk udbudsdokument (ESPD), Udbudsdokument

5. Delkontrakt

5.1. Delkontrakt: LOT-0000

Titel: Gjennomseiling Herøy - Ulstein

Beskrivelse: The main road from Røyrasundet to Svædet in Herøy and Ulstein municipalities shall be elaborated. The main aim is to increase security and ease of navigation in a complex and weather prone fairway. The measure comprises a total of 3 deepening areas

Skinnbrokeia, Kyrkjefluda and Svædet. It is planned to dredge all areas to a depth of -11.3 metres (nautical chart wool). The total planned deepening area is approx. 86,000 m² and the calculated deepening volume is approx. 175,000 cubic metres of engineered solid matter (pfm³). The project has two regulated and approved seabed deposits, one in direct connection to the deepening area at Skinnbrokeia and one at Kyrkjefluda. The project has an option to transport the dredged materials to Herøy municipality's filling area Paradisbukta.

Intern ID: 2026/1130

5.1.1. Formål

Kontraktens hovedformål: Bygge- og anlægsarbejder

Primær klassifikation (cpv): 45244000 Arbejder til havs

Supplerende klassifikation (cpv): 45240000 Arbejder i forbindelse med udførelse af vandbygningsanlæg, 45247100 Arbejder i forbindelse med vandveje, 45252124 Opmudring og pumpearbejder

5.1.2. Udførelsessted

Landsdel (NUTS): Møre og Romsdal (NO0A3)

Land: Norge

5.1.3. Anslået varighed

Startdato: 31/05/2026

Varigheds slutdato: 28/02/2028

5.1.6. Generelle oplysninger

Reserveret deltagelse:

Deltagelse uden forbehold.

Indkøbsprojekt, der ikke finansieres med EU-midler

Udbuddet er omfattet af aftalen om offentlige udbud (GPA): nej

5.1.9. Udvalgelseskriterier

Kilder til udvalgelseskriterier: Fælles europæisk udbudsdokument (ESPD), Udbudsdokument

5.1.11. Tilbudsdokumenter

Sprog, som udbudsdokumenterne er officielt tilgængelige på: norsk

Frist for anmodning om yderligere oplysninger: 15/05/2026 10:00:00 (UTC+00:00)

vesteuropæisk tid, GMT

Adresse på udbudsdokumenterne: <https://permalink.mercell.com/270148822.aspx>

5.1.12. Tilbudsvilkår

Vilkår for indgivelse:

Elektronisk indgivelse: Påkrævet

Indgivelsesadresse: <https://permalink.mercell.com/270148822.aspx>

Sprog, som tilbud og ansøgninger om deltagelse kan indgives på: norsk

Elektronisk katalog: Ikke tilladt

Avanceret eller kvalificeret elektronisk signatur eller segl (jf forordning (EU) nr 910/2014) er påkrævet

Alternative tilbud: Ikke tilladt

Frist for modtagelse af tilbud: 26/05/2026 10:00:00 (UTC+00:00) vesteuropæisk tid, GMT

Varighed, hvor tilbuddet skal forblive gyldigt: 3 Måneder

Oplysninger om offentlig iværksættelse:

Åbningsdato: 26/05/2026 10:00:00 (UTC+00:00) vesteuropæisk tid, GMT

Betingelser for kontraktens udførelse:

Udførelsen af kontrakten skal ske inden for rammerne af programmer for beskyttet beskæftigelse: Nej

Elektronisk fakturering: Påkrævet

Der vil blive anvendt elektronisk bestilling: nej

Der vil blive anvendt elektronisk betaling: ja

5.1.15. Teknikker

Rammeaftale:

Ingen rammeaftale

Oplysninger om det dynamiske indkøbssystem:

Intet dynamisk indkøbssystem

5.1.16. Yderligere oplysninger, mægling og gennemgang

Organisation med ansvar for klager: Salten og Lofoten tingrett

Oplysninger om klagefrister: PPR part III (above the EEA threshold): Waiting period: 10 days

after the award of contract. Appeals to the contracting authority: no fixed deadline, ought to

occur during the waiting period. Temporary injunction: Must be petitioned before the contract is

signed. KOFA appeal: No fixed deadline.

8. Organisationer

8.1. ORG-0001

Officielt navn: KYSTVERKET

Registreringsnummer: 874783242

Postadresse: Postboks 1502

By: ÅLESUND

Postnummer: 6025

Landsdel (NUTS): Møre og Romsdal (NO0A3)
Land: Norge
Enhed: Hallvard Svendsen
E-mail: hallvard.svendsen@kystverket.no
Telefon: +47 07847
Internetadresse: <http://www.kystverket.no>

Denne organisations roller:

Køber

8.1. ORG-0002

Officielt navn: Salten og Lofoten tingrett
Registreringsnummer: 826 723 122
Postadresse: Storgata 38, 8006 Bodø, Norge
By: Bodø
Postnummer: 8006
Landsdel (NUTS): Møre og Romsdal (NO0A3)

Land: Norge

Denne organisations roller:

Organisation med ansvar for klager

10. Ændring

Udgave af den foregående bekendtgørelse, der skal ændres

:

ced275bf-02e0-49d3-a4b1-4be3474ff31c-01

Hovedårsagen til ændringen

:

Ajournførte oplysninger

Beskrivelse

:

Changes Passing Through Herøy - Ulstein 1. Introduction The contracting authority will make the following corrections, clarifications and changes in the tender documentation. 2. Alterations 2.1 Fortanningsposter in Paradisbukta The changes related to the fortanning (rock keying) in Paradisbukta have been incorporated in the revised quantity description and revised drawing published in Mercell. The original Post 05.4.2.2 expires and is replaced by post 05.4.2.3, 05.4.2.4, 05.4.2.5 and 05.4.2.6. In addition the sentence "Fortanning utføres med pigging.", in the general text under post 05.1.1. References to drawing 10272182-RIG-TEG-002 shall be understood as references to drawing 10272182-RIG-TEG-002_rev02. Tender offers for the works in Paradisbukta shall be submitted on the basis of the revised technical description "00 Gjennomseiling Herøy-Ulstein_rev 2" dated 29.04.2026 and the accompanying revised drawings published in Mercell. The revised price basis for the rock keying (fortanningsarbeidene) thus consists of general text in point 05.1.1, the revised posts for the rock keying 05.4.2.3, 05.4.2.4, 05.4.2.5 and 05.4.2.6, as well as drafts 10272182-RIG-TEG-002_rev02. 2.2 Item 02.01.2 FH1.844A BOBLEGARDIN (bubble screen) In item 02.01.2 FH1.844A BOBLEGARDIN, letter B) Materials, the two sentences that state further technical specifications for the tube system and the compressor capacity. As a result, the indication of compressor capacity approx. 10 m³/min at 7-14 bars excess pressure is omitted from the specification. The post shall instead be understood and priced on the basis of the functional and technical requirements included in the item. It is the tenderer's responsibility to offer and price a system with sufficient compressor capacity and other equipment to fulfil the item's

functional and technical requirements. 2.3 Part I point C on technical and professional qualifications. For Part I point C on technical and professional qualifications, emphasis is put on the fact that the point should not be understood as an independent qualification requirement on specific or exhaustively stated equipment when submitting the tender. The point also does not mean that the tenderer must submit or be bound by a specific machine or equipment list as a basis for assessing whether the qualification requirements are fulfilled. The contracting authority will, therefore, not assess whether the qualification requirements are fulfilled, or reject tenderers, on the basis of whether specific machines or tools are named in the tender offer. Any information about the equipment in the tender will also not be seen as an exhaustive or binding statement of which equipment shall be used in the execution of the contract. The point alone shall be understood as a regulation of the tenderer's responsibility for, at their own capacity or by support from other entities, to provide the necessary resources at the disposal of the contract implementation. 2.4 Deadlines The deadline for receipt of tenders is postponed until 26 May 2026 (12:00). Updated tender deadline and any other revised deadlines are in Merccell. 3. Other conditions All other provisions of the tender documentation remain unchanged. This letter of change shall be read as part of the tender documentation and it will form the basis for submitting tenders.

10.1. Ændring

Afsnitsidentifikator: PROCEDURE

10.1. Ændring

Afsnitsidentifikator: LOT-0000

Oplysninger om bekendtgørelsen

Bekendtgørelsens ID: 6c18f044-da77-4c60-aee3-cd770e21acde - 01

Formulartype: Konkurrencevilkår

Bekendtgørelsestype: Udbuds- eller koncessionsbekendtgørelse – standardordningen

Bekendtgørelsesundertype: 16

Afsendelsesdato for bekendtgørelsen: 30/04/2026 09:19:41 (UTC+00:00) vesteuropæisk tid, GMT

Dato for afsendelse af bekendtgørelsen (eSender): 30/04/2026 09:20:06 (UTC+00:00) vesteuropæisk tid, GMT

Bekendtgørelsens officielle sprog: engelsk

Bekendtgørelsesnummer: 302011-2026

EUT-S-nummer: 85/2026

Offentliggørelsesdato: 04/05/2026