

109230-2026 - Competition

Ireland – Laboratory, optical and precision equipments (excl. glasses) – Provision of fluorescently labelled probes for the Fluorescent in situ Hybridisation (FISH) Service in the Histopathology Dept at St James's Hospital.

OJ S 32/2026 16/02/2026

Contract or concession notice – standard regime

Supplies

1. Buyer

1.1. Buyer

Official name: St James's Hospital

Email: dgunning@stjames.ie

Legal type of the buyer: Body governed by public law

Activity of the contracting authority: Health

2. Procedure

2.1. Procedure

Title: Provision of fluorescently labelled probes for the Fluorescent in situ Hybridisation (FISH) Service in the Histopathology Dept at St James's Hospital.

Description: Invitation to tender for the Provision of fluorescently labelled probes for the Fluorescent in situ Hybridisation (FISH) Service in the Histopathology Dept at St James's Hospital. The FISH service at SJH has provided a hospital and national service since 2010, helping on cancer classification and to guide patient treatment. The laboratory now requires the provision of the following fluorescently labelled ready to use probes: • MYC (8q24) Break Apart FISH probe, to detect chromosomal rearrangements involving the MYC gene on Chromosome 8q24. • t(8;14) MYC/IGH dual-fusion FISH probe, to detect reciprocal translocation involving the IGH and MYC genes. • BCL2 (18q21) Break Apart FISH probe, to detect chromosomal rearrangements involving the BCL2 gene on Chromosome 18q21. • t(14;18) IGH/BCL2 DF dual-fusion FISH probe, to detect reciprocal translocations involving the IGH and BCL2 genes. • BCL6 (3q27) Break Apart FISH probe, to detect chromosomal rearrangements involving the BCL6 gene on Chromosome 3q27. • MALT1 (18q21) Break Apart FISH probe, to detect chromosomal rearrangements involving the MALT1 gene on Chromosome 18q21. • t(11;14) CCND1/IGH dual-fusion FISH probe, to detect reciprocal translocations involving the IGH and CCND1 genes. • IgK-cMYC dual-fusion FISH probe, to detect reciprocal translocation involving the IGK and MYC genes. • IgL-cMYC dual-fusion FISH probe, to detect reciprocal translocation involving the IGL and MYC genes. • DUSP22-IRF4 Break Apart FISH probe, to detect chromosomal rearrangements involving the DUSP22 or IRF4 gene. • TP63 Break Apart FISH probe, to detect chromosomal rearrangements involving the TP63 gene. • 11q gain-loss FISH probe, to detect 11q Aberration. • ALK (2p23) Break Apart FISH probe, to detect chromosomal rearrangements involving the ALK gene on Chromosome 2p23. • ROS1 (6q22) Break Apart FISH probe, to detect chromosomal rearrangements involving the ROS1 gene on Chromosome 6q22. • MDM2/CEN12 Amplification FISH probe, to detect MDM2 gene amplification. • EWSR1 Break Apart FISH probe, to detect chromosomal rearrangements involving the EWSR1 gene. • MAML2 Break Apart FISH probe, to detect chromosomal rearrangements involving the MAML2 gene. • MYB Break Apart FISH probe, to detect chromosomal rearrangements involving the MYB gene. •

FGFR2 Break Apart FISH probe, to detect chromosomal rearrangements involving the FGFR2 gene. • DAPI Counterstain The provider must be able to provide IVDR-certified probes in compliance with the Regulation for in vitro diagnostic medical devices (IVDR) for the diagnostic FISH service. Currently, the FISH technique is performed as a semi-automated assay on formalin-fixed, paraffin-embedded material. Therefore, the provider must be able to provide fluorescently labelled probes intended to be used on formalin-fixed, paraffin-embedded specimens in a ready to use format. Vendors must supply the different probe types used by the FISH service in SJH, ensuring reliable and reproducible results and long-term serviceability and user training. The provider must be able to provide IVDR-certified probes in compliance with the Regulation for in vitro diagnostic medical devices (IVDR) for the diagnostic FISH service. Vendors must supply the different probe types used by the FISH service in SJH, ensuring reliable and reproducible results and long-term serviceability and user training.

Procedure identifier: d4f2b6e4-b157-4856-ae60-7af0b5b8a719

Type of procedure: Open

The procedure is accelerated: no

2.1.1. Purpose

Main nature of the contract: Supplies

Main classification (cpv): 38000000 Laboratory, optical and precision equipments (excl. glasses)

Additional classification (cpv): 33696500 Laboratory reagents

2.1.2. Place of performance

Country subdivision (NUTS): Dublin (IE061)

Country: Ireland

2.1.3. Value

Estimated value excluding VAT: 1 500 000,00 EUR

2.1.4. General information

Legal basis:

Directive 2014/24/EU

2.1.6. Grounds for exclusion

Sources of grounds for exclusion: Procurement Document

5. Lot

5.1. Lot: LOT-0001

Title: Provision of fluorescently labelled probes for the Fluorescent in situ Hybridisation (FISH) Service in the Histopathology Dept at St James's Hospital.

Description: Invitation to tender for the Provision of fluorescently labelled probes for the Fluorescent in situ Hybridisation (FISH) Service in the Histopathology Dept at St James's Hospital. The FISH service at SJH has provided a hospital and national service since 2010, helping on cancer classification and to guide patient treatment. The laboratory now requires the provision of the following fluorescently labelled ready to use probes: • MYC (8q24) Break Apart FISH probe, to detect chromosomal rearrangements involving the MYC gene on Chromosome 8q24. • t(8;14) MYC/IGH dual-fusion FISH probe, to detect reciprocal translocation involving the IGH and MYC genes. • BCL2 (18q21) Break Apart FISH probe, to detect chromosomal rearrangements involving the BCL2 gene on Chromosome 18q21. • t(14;18) IGH/BCL2 DF dual-fusion FISH probe, to detect reciprocal translocations involving the IGH

and BCL2 genes. • BCL6 (3q27) Break Apart FISH probe, to detect chromosomal rearrangements involving the BCL6 gene on Chromosome 3q27. • MALT1 (18q21) Break Apart FISH probe, to detect chromosomal rearrangements involving the MALT1 gene on Chromosome 18q21. • t(11;14) CCDN1/IGH dual-fusion FISH probe, to detect reciprocal translocations involving the IGH and CCDN1 genes. • IgK-cMYC dual-fusion FISH probe, to detect reciprocal translocation involving the IGK and MYC genes. • IgL-cMYC dual-fusion FISH probe, to detect reciprocal translocation involving the IGL and MYC genes. • DUSP22-IRF4 Break Apart FISH probe, to detect chromosomal rearrangements involving the DUSP22 or IRF4 gene. • TP63 Break Apart FISH probe, to detect chromosomal rearrangements involving the TP63 gene. • 11q gain-loss FISH probe, to detect 11q Aberration. • ALK (2p23) Break Apart FISH probe, to detect chromosomal rearrangements involving the ALK gene on Chromosome 2p23. • ROS1 (6q22) Break Apart FISH probe, to detect chromosomal rearrangements involving the ROS1 gene on Chromosome 6q22. • MDM2/CEN12 Amplification FISH probe, to detect MDM2 gene amplification. • EWSR1 Break Apart FISH probe, to detect chromosomal rearrangements involving the EWSR1 gene. • MAML2 Break Apart FISH probe, to detect chromosomal rearrangements involving the MAML2 gene. • MYB Break Apart FISH probe, to detect chromosomal rearrangements involving the MYB gene. • FGFR2 Break Apart FISH probe, to detect chromosomal rearrangements involving the FGFR2 gene. • DAPI Counterstain The provider must be able to provide IVDR-certified probes in compliance with the Regulation for in vitro diagnostic medical devices (IVDR) for the diagnostic FISH service. Currently, the FISH technique is performed as a semi-automated assay on formalin-fixed, paraffin-embedded material. Therefore, the provider must be able to provide fluorescently labelled probes intended to be used on formalin-fixed, paraffin-embedded specimens in a ready to use format. Vendors must supply the different probe types used by the FISH service in SJH, ensuring reliable and reproducible results and long-term serviceability and user training. The provider must be able to provide IVDR-certified probes in compliance with the Regulation for in vitro diagnostic medical devices (IVDR) for the diagnostic FISH service. Vendors must supply the different probe types used by the FISH service in SJH, ensuring reliable and reproducible results and long-term serviceability and user training.

Internal identifier: 0

5.1.1. Purpose

Main nature of the contract: Supplies

Main classification (cpv): 38000000 Laboratory, optical and precision equipments (excl. glasses)

Additional classification (cpv): 33696500 Laboratory reagents

5.1.2. Place of performance

Country subdivision (NUTS): Dublin (IE061)

Country: Ireland

5.1.3. Estimated duration

Duration: 60 Months

5.1.5. Value

Estimated value excluding VAT: 1 500 000,00 EUR

5.1.6. General information

Reserved participation:

Participation is not reserved.

Procurement Project not financed with EU Funds.

The procurement is covered by the Government Procurement Agreement (GPA): yes

5.1.7. Strategic procurement

Aim of strategic procurement: No strategic procurement

5.1.9. Selection criteria

Sources of selection criteria: Procurement Document

5.1.11. Procurement documents

Languages in which the procurement documents are officially available: English

Languages in which the procurement documents (or their parts) are unofficially available: English

Deadline for requesting additional information: 11/03/2026 15:00:00 (UTC+00:00) Western European Time, GMT

Address of the procurement documents: <https://www.etenders.gov.ie/epps/cft/listContractDocuments.do?resourceId=7511422>

5.1.12. Terms of procurement

Terms of submission:

Electronic submission: Required

Address for submission: <https://www.etenders.gov.ie/epps/cft/viewTenders.do?resourceId=7511422>

Languages in which tenders or requests to participate may be submitted: English

Electronic catalogue: Not allowed

Tenderers may submit more than one tender: Not allowed

Deadline for receipt of tenders: 19/03/2026 12:00:00 (UTC+00:00) Western European Time, GMT

Duration during which the tender must remain valid: 90 Days

Information about public opening:

Opening date: 19/03/2026 12:30:00 (UTC+00:00) Western European Time, GMT

Place: <https://www.etenders.gov.ie/epps/cft/prepareViewCfTWS.do?resourceId=7511422>

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: Not yet known

Electronic invoicing: Not allowed

Electronic ordering will be used: yes

Electronic payment will be used: yes

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: The High Court of Ireland

Organisation providing offline access to the procurement documents: St James's Hospital

Organisation providing more information on the review procedures: The High Court of Ireland

Organisation receiving requests to participate: St James's Hospital

Organisation processing tenders: St James's Hospital

8. Organisations

8.1. ORG-0001

Official name: St James's Hospital

Registration number: IE4752452R

Postal address: James Street

Town: Dublin

Postcode: D08 NHY1

Country subdivision (NUTS): Dublin (IE061)

Country: Ireland

Email: dgunning@stjames.ie

Telephone: 014162468

Internet address: <https://www.stjames.ie/>

Buyer profile: <https://www.stjames.ie/>

Roles of this organisation:

Buyer

Organisation providing offline access to the procurement documents

Organisation receiving requests to participate

Organisation processing tenders

8.1. ORG-0002

Official name: The High Court of Ireland

Registration number: The High Court of Ireland

Department: The High Court of Ireland

Postal address: Four Courts, Inns Quay, Dublin 7

Town: Dublin

Postcode: D07 WDX8

Country subdivision (NUTS): Dublin (IE061)

Country: Ireland

Email: HighCourtCentralOffice@courts.ie

Telephone: +353 1 8886000

Roles of this organisation:

Review organisation

Organisation providing more information on the review procedures

8.1. ORG-0003

Official name: European Dynamics S.A.

Registration number: 002024901000

Department: European Dynamics S.A.

Town: Athens

Postcode: 15125

Country subdivision (NUTS): Βόρειος Τομέας Αθηνών (EL301)

Country: Greece

Email: eproc-esender@eurodyn.com

Telephone: +30 2108094500

Roles of this organisation:

TED eSender

Notice information

Notice identifier/version: 3396da0b-d7c4-4550-95a8-ceaf6ce7e8f4 - 01

Form type: Competition

Notice type: Contract or concession notice – standard regime

Notice subtype: 16

Notice dispatch date: 13/02/2026 09:29:09 (UTC+00:00) Western European Time, GMT

Languages in which this notice is officially available: English

Notice publication number: 109230-2026

OJ S issue number: 32/2026

Publication date: 16/02/2026