

D-Goslar: construction work

OJ S 134/2012 14/07/2012

Contract notice

Works

Directive 2004/18/EC

Section I: Contracting authority

I.1. Name and addresses

Official name: Asklepios Harzkliniken GmbH, Dr.-Herbert-Nieper-Krankenhaus Goslar

Postal address: Kösliner Str. 12

Town: Goslar

Postal code: 38642

Country: Germany

Contact person: Technische Leitung Harzkliniken

For the attention of: Herrn Bittner, Kösliner Str. 12,

E-mail: f.bittner@asklepios.com

Telephone: +49 5321441616

Fax: +49 5321441525

Internet address(es):

General address of the contracting authority: www.asklepios.com

Additional information can be obtained from:

Official name: Asklepios Kliniken Verwaltungsgesellschaft mbH Konzernbereich Architektur und Bau

Postal address: In der Linnert 28

Town: Damme

Postal code: 49401

Country: Germany

Contact person: Architekturstudio Damme

For the attention of: Herrn Andre Stüve

E-mail: stueve@ast-d.de

Telephone: +49 5491977573

Fax: +49 5941977574

Internet address: <http://www.asklepios.com>

Specifications and additional documents (including documents for competitive dialogue and a dynamic purchasing system) can be obtained from:

the abovementioned address

Tenders or requests to participate must be submitted: the abovementioned address

I.2. Type of the contracting authority

Other: privater Auftraggeber mit öffentlicher Förderung

I.3. Main activity

Health

I.4. Contract award on behalf of other contracting authorities

The contracting authority is purchasing on behalf of other contracting authorities: no

Section II: Object of the contract

II.1. Description

II.1.1. Title attributed to the contract by the contracting authority

Asklepios Harzkliniken GmbH, Dr.-Herbert-Nieper Krankenhaus Goslar, Gewerk 08
Trockenbau, Innentüren, Rammschutz.

II.1.2. Type of contract and place of performance or delivery

Works

Main site or place of performance: Goslar.

NUTS code DE916 Goslar

II.1.3. Information about a framework agreement or a dynamic purchasing system

The notice involves a public contract

II.1.4. Information about framework agreement

II.1.5. Short description of the contract or purchase(s)

Losweise Ausschreibung zur Lieferung und Bauausführung eines Klinikgebäudes durch Sanierung und Erweiterung des vorhandenen Bestandes durch Neubau und Umbau.

Kennzahlen: ca. 320 Bettenplätze.

1 OP – Einheit und den Funktionseinheiten Pflege, Untersuchung u. Behandlung, Verwaltung, Soziale Dienste und Ver- u. Entsorgung.

Los 8, Trockenbau, Innentüren, Rammschutz, Brandschutzvorhänge in Bauabschnitten bei Aufrechterhaltung des Klinikbetriebes.

Ca. 46 000 m³ BRI, in kombinierter.

Stahlbeton- / Mauerwerksbauweise.

Davon ca. 18 500,00 m³uR Neubau.

Davon ca. 27 500,00 m³uR Altbausanierung.

1. Bauabschnitt: Neubau BT 21 mit Gewerke Trockenbau, Innentüren, Rammschutz, Brandschutzvorhänge:

Komplette Lieferung, Montage, Inbetriebsetzung Schichtstofftür, Ahornoptik,

1 flg., B/H=bis 1,26 x 2,135, 37dB, ca. 120 Stck

*Schichtstofftür, Ahornoptik, T30RS.

1 flg., B/H=bis 1,26 x 2,135, ca. 70 Stck

*Schichtstofftür, Ahornoptik, Nassraumtür.

1 flg., B/H=bis 1,26 x 2,135, ca. 100 Stck

*Stahlblechtür, Farbbeschichtet, T90RS.

1 flg., B/H=bis 1,26 x 2,135, 37dB, ca. 10 Stck

*Stahlblechtür, Farbbeschichtet, T90RS.

2 flg., B/H=bis 2,00 x 2,135, ca. 10 Stck

*Brandschutzvorhang EW30.

B/H=bis 4,00 x 2,80 m ca. 3 Stck.

*Trockenbauwände, F0 bis F90 ca. 5.400 m².

*Trockenbauvorsatzwände, ca. 950 m².

*Rasterdecken ca. 380 m².

*Langfelddecken mit Randfries ca. 1.650 m².

*GK-Decken / -Abkofferung ca. 650 m².

*Handlauf und Rammschutz ca. 950 lfdm.

2. Bauabschnitt: Umbau Altbau BT 20 mit Gewerke

Trockenbau, Innentüren, Rammschutz, Brandschutzvorhänge:

Komplette Lieferung, Montage, Inbetriebsetzung,

Teilweise Demontage und Entsorgung alter Türen und Decken.

- *Schichtstofftür, Ahornoptik,
1 flg., B/H=bis 1,26 x 2,135, 37dB, ca. 145 Stck
- *Schichtstofftür, Ahornoptik, T30RS.
1 flg., B/H=bis 1,26 x 2,135, ca. 45 Stck
- *Schichtstofftür, Ahornoptik, Nassraumtür.
1 flg., B/H=bis 1,26 x 2,135, ca. 95 Stck
- *Schichtstofftür, Ahornoptik, T30RS.
2 flg., B/H=bis 2,50 x 2,25, ca. 16 Stck
- *Brandschutzvorhang EW30.
B/H=bis 3,50 x 2,80 m ca. 16 Stck.
- *Trockenbauwände, F0 bis F90 ca. 2 000 m².
- *Trockenbauvorsatzwände, ca. 650 m².
- *Rasterdecken ca. 1 500 m².
- *Langfelddecken mit Randfries ca. 1.650 m².
- *GK-Decken / -Abkoffnung ca. 650 m².
- *Handlauf und Rammschutz ca. 740 lfdm.

II.1.6. CPV code(s)

45000000 Construction work, 45421131 Installation of doors, 45432210 Wall-covering work, 45421141 Installation of partitioning

II.1.7. Information about the Government Procurement Agreement (GPA)

The procurement is covered by the Government Procurement Agreement: no

II.1.8. Lots

This contract is divided into lots: no

II.1.9. Information about variants

Variants will be accepted: yes

II.2. Scope of the procurement

II.2.1. Total quantity or scope

Losweise Ausschreibung zur Lieferung und Bauausführung eines Klinikgebäudes durch Sanierung und Erweiterung des vorhandenen Bestandes durch Neubau und Umbau.

Kennzahlen: ca. 320 Bettenplätze.

1 OP – Einheit und den Funktionseinheiten Pflege, Untersuchung u. Behandlung, Verwaltung, Soziale Dienste und Ver- u. Entsorgung.

Los 8, Trockenbau, Innentüren, Rammschutz, Brandschutzvorhänge in Bauabschnitten.

Bei Aufrechterhaltung des Klinikbetriebes.

Ca. 46 000 m³ BRI, in kombinierter.

Stahlbeton- / Mauerwerksbauweise.

Davon ca. 18 500,00 m³uR Neubau.

Davon ca. 27 500,00 m³uR Altbausanierung.

1. Bauabschnitt: Neubau BT 21 mit Gewerke

Trockenbau, Innentüren, Rammschutz, Brandschutzvorhänge:

Komplette Lieferung, Montage, Inbetriebsetzung.

*Schichtstofftür, Ahornoptik,

1 flg., B/H=bis 1,26 x 2,135, 37dB, ca. 120 Stck

*Schichtstofftür, Ahornoptik, T30RS.

1 flg., B/H=bis 1,26 x 2,135, ca. 70 Stck

*Schichtstofftür, Ahornoptik, Nassraumtür.

1 flg., B/H=bis 1,26 x 2,135, ca. 100 Stck
 *Stahlblechtür, Farbbeschichtet, T90RS.
 1 flg., B/H=bis 1,26 x 2,135, 37dB, ca. 10 Stck
 *Stahlblechtür, Farbbeschichtet, T90RS.
 2 flg., B/H=bis 2,00 x 2,135, ca. 10 Stck
 *Brandschutzvorhang EW30.
 B/H=bis 4,00 x 2,80 m ca. 3 Stck.
 *Trockenbauwände, F0 bis F90 ca. 5 400 m².
 *Trockenbauvorsatzwände, ca. 950 m².
 *Rasterdecken ca. 380 m².
 *Langfelddecken mit Randfries ca. 1 650 m².
 *GK-Decken / -Abkofferung ca. 650 m².
 *Handlauf und Rammschutz ca. 950 lfdm.
 2. Bauabschnitt: Umbau Altbau BT 20 mit Gewerke
 Trockenbau, Innentüren, Rammschutz, Brandschutzvorhänge:
 Komplette Lieferung, Montage, Inbetriebsetzung,
 Teilweise Demontage und Entsorgung alter Türen und Decken.
 *Schichtstofftür, Ahornoptik,
 1 flg., B/H=bis 1,26 x 2,135, 37dB, ca. 145 Stck
 *Schichtstofftür, Ahornoptik, T30RS.
 1 flg., B/H=bis 1,26 x 2,135, ca. 45 Stck
 *Schichtstofftür, Ahornoptik, Nassraumtür.
 1 flg., B/H=bis 1,26 x 2,135, ca. 95 Stck
 *Schichtstofftür, Ahornoptik, T30RS.
 2 flg., B/H=bis 2,50 x 2,25, ca. 16 Stck
 *Brandschutzvorhang EW30.
 B/H=bis 3,50 x 2,80 m ca. 16 Stck.
 *Trockenbauwände, F0 bis F90 ca. 2 000 m².
 *Trockenbauvorsatzwände, ca. 650 m².
 *Rasterdecken ca. 1.500 m².
 *Langfelddecken mit Randfries ca. 1 650 m².
 *GK-Decken / -Abkofferung ca. 650 m².
 *Handlauf und Rammschutz ca. 740 lfdm.

II.2.2. Information about options

Options: no

II.2.3. Information about renewals

This contract is subject to renewal: no

II.3. Duration of the contract or time limit for completion

Start 1.10.2012. Completion 31.10.2014

Section III: Legal, economic, financial and technical information

III.1. Conditions related to the contract

III.1.1. Deposits and guarantees required

Siehe Ausschreibungsunterlagen.

III.1.2.

Main financing conditions and payment arrangements and/or reference to the relevant provisions governing them

Siehe Ausschreibungsunterlagen.

III.1.3. Legal form to be taken by the group of economic operators to whom the contract is to be awarded

Siehe Ausschreibungsunterlagen.

III.1.4. Contract performance conditions

The performance of the contract is subject to particular conditions: no

III.2. Conditions for participation

III.2.1. Suitability to pursue the professional activity, including requirements relating to enrolment on professional or trade registers

List and brief description of conditions: Gem VOB / §8 Abs. 3 Nr. 1.

III.2.2. Economic and financial ability

List and brief description of conditions: Gem VOB / §8 Abs. 3 Nr. 1.

III.2.3. Technical and professional ability

List and brief description of conditions:
Gem VOB / §8 Abs. 3 Nr. 1.

III.2.4. Information about reserved contracts

III.3. Conditions specific to services contracts

III.3.1. Information about a particular profession

III.3.2. Information about staff responsible for the performance of the contract

Section IV: Procedure

IV.1. Type of procedure

IV.1.1. Type of procedure

Open

IV.1.2. Information about the limits on the number of candidates to be invited

IV.1.3. Information about reduction of the number of solutions or tenders during negotiation or dialogue

IV.2. Award criteria

IV.2.1. Award criteria

The most economically advantageous tender in terms of Price is not the only award criterion and all criteria are stated only in the procurement documents

IV.2.2. Information about electronic auction

An electronic auction will be used: no

IV.3. Administrative information

IV.3.1. File reference number attributed by the contracting authority

IV.3.2. Previous publication concerning this procedure

no

IV.3.3. Conditions for obtaining specifications and additional documents or descriptive document

Time limit for receipt of requests for documents or for accessing documents: 22.8.2012

Payable documents: yes

Price: 100,00 EUR

Terms and method of payment: Per Verrechnungsscheck, Empfänger: Technische Leitung Harzkliniken, Herr Bittner, Kösliner Str. 12, 38642 Goslar Gewerk 08 Trockenbau.

Die Unterlagen werden erst versendet, wenn der Nachweis über die Einzahlung vorliegt. das Entgelt wird nicht erstattet.

IV.3.4. Time limit for receipt of tenders or requests to participate

29.8.2012 - 13:30

IV.3.5. Estimated date of dispatch of invitations to tender or to participate to selected candidates

IV.3.6. Languages in which tenders or requests to participate may be submitted

German.

IV.3.7. Minimum time frame during which the tenderer must maintain the tender

Duration in days: 90 (from the date stated for receipt of tender)

IV.3.8. Conditions for opening of tenders

Date: 29.8.2012

Place:

Asklepios Harzkliniken Goslar, Kösliner Str. 12, 38642 Goslar.

Persons authorised to be present at the opening of tenders: yes

Information about authorised persons and opening procedure: Bieter und ihre Bevollmächtigten.

Section VI: Complementary information

VI.1. Information about recurrence

This is a recurrent procurement: no

VI.2. Information about European Union funds

The procurement is related to a project and/or programme financed by European Union funds:
no

VI.3. Additional information

VI.4. Procedures for review

VI.4.1. Review body

Official name: Vergabekammer beim Niedersächsischen Ministerium für Wirtschaft, Arbeit und Soziales

Postal address: Regierungsvertretung Lüneburg, Auf der Hude 2

Town: Lüneburg

Postal code: 21339
Telephone: +49 4131150
Fax: +49 4131152943

VI.4.2. Review procedure

VI.4.3. Service from which information about the review procedure may be obtained

VI.5. Date of dispatch of this notice

11.7.2012