

281685-2026 - Competition

Germany – Engineering services – Abwasserbeseitigung Grömitz / Cismar

OJ S 80/2026 24/04/2026

Contract or concession notice – standard regime

Services

1. Buyer

1.1. Buyer

Official name: Zweckverband Karkbrook

Email: kontakt@zweckverband-karkbrook.de

Legal type of the buyer: Body governed by public law, controlled by a local authority

Activity of the contracting authority: General public services

2. Procedure

2.1. Procedure

Title: Abwasserbeseitigung Grömitz / Cismar

Description: Neubau PW 50 in Bliesdorf und Herstellung neue, redundante AW-DRL von PW 50 zu PW 12 in Lenste sowie Neubau AW-DRL in Dahme von PW 28 bis Freigefällekanal vor PW 29 und Neubau AW-DRL von PW 29 bis Freigefällekanal in Gruberhagen incl. Sanierung PW 28 und Neubau PW 29.

Procedure identifier: b1000000-c0de-4000-a000-00d461402247

Internal identifier: 190-13

Type of procedure: Negotiated with prior publication of a call for competition / competitive with negotiation

The procedure is accelerated: no

2.1.1. Purpose

Main nature of the contract: Services

Main classification (cpv): 71300000 Engineering services

Additional classification (cpv): 71322000 Engineering design services for the construction of civil engineering works

2.1.2. Place of performance

Town: Grömitz

Postcode: 23743

Country subdivision (NUTS): Ostholstein (DEF08)

Country: Germany

2.1.4. General information

Legal basis:

Directive 2014/24/EU

vgv -

2.1.5. Terms of procurement

Terms of submission:

Maximum number of lots for which one tenderer can submit tenders: 2

Terms of contract:

Maximum number of lots for which contracts can be awarded to one tenderer: 2

2.1.6. Grounds for exclusion

Sources of grounds for exclusion: Procurement Document

5. Lot

5.1. Lot: LOT-0001

Title: Neubau PW 50 und DRL Bliesdorf Lenste

Description: - Neubau von PW mit trocken aufgestellten Pumpen, Pumpleistungen bis zu 350m³/h - Neubau von PW mit nass aufgestellten Pumpen, Pumpleistungen bis zu 350m³/h - Sanierung von PW - Herausarbeitung von Sanierungskonzepten mit möglichem Variantenvergleich - Auslegung von Pumpwerken auf die hydraulischen Anforderungen unter Berücksichtigung auf zukünftiges Abwasseraufkommen - Bemessung Vorlagevolumen für Spitzenleistung bei Niederschlägen - Erstellung von PW-Konzepten unter Berücksichtigung von vorzugsweisem Betrieb von Pumpwerken in Reihe (Kaskaden) - Ermittlung der geeigneten Lage neuer Pumpwerke - Planung von Freigefälleleitungen als Zulaufsammler zu Pumpwerken incl. Hausanschlüssen - Anbindung von Bestandsdruckrohrleitung an PW - Anbindung von PW an redundante neu zu verlegende und bereits verlegte AW-DRL - Planung von Maßnahmen zur Verringerung von H₂S (z. B. Fe-Dosierung) - Erneuerung Schaltanlagen für PW - Notstromkonzept für PW - Ertüchtigung von Schaltanlagen für PW - Verlegung von Datenkabeln - Anbindung von Datenkabeln - Umfahrung von PW - Durchflussmessungen - Stilllegung von Bestandspumpwerken - Berücksichtigung der Förderung von Pumpen über Bestandsdruckrohrleitungen für deren Erhalt (regelmäßiger Nachtbetrieb) - Erneuerung oder Neubau von Trinkwasserspülhydranten an PW - Neubau von DRL als einzelne oder redundante Leitung. Bei Trassenlängen von bis zu 8km und Dimensionen von bis zu DN 350 - Trassenermittlung von DRL unter Berücksichtigung der Baumaßnahmen der Gemeinden, ggf. mit Variantenbetrachtung und Berücksichtigung der saisonalen Möglichkeiten - Mögliche Einbindung von Bestandsdruckrohrleitungen in das System mit neuen Schieberkreuzen - Neubau von Trinkwasserleitungen in gemeinsamen Leitungsgräben mit AW-DRL - Anbindung von Trinkwasserleitungen an Bestandsleitungen incl. Herstellung von neuen Schieberkreuzen - Hydraulik zu AW-DRL und Freigefälleleitungen, incl. Berücksichtigung von steigendem Abwasseraufkommen für die Zukunft - Druckstoßberechnungen - Lage von Be- und Entlüftern und Spülmöglichkeiten für AW-DRL - Berücksichtigung und Erstellung von möglichen Hochwasserkonzepten - Variantenvergleich unter betriebswirtschaftlichen Gesichtspunkten - Anbindung von AW-DRL, für möglichen Bypass-Betrieb von PW - Herausarbeitung von Sanierungskonzepten für AW-DRL - Stilllegung Bestands-DRL - Anbindung von neuen DRL an bereits vorhandene DRL z.B. auf dem Gelände der Kläranlage Cismar, mit Vorbereitung von weiteren Anbindungsmöglichkeiten für die Zukunft - Sanierung von Bestandsleitungen (AW-DRL und Freigefälleleitungen) auf Längen von bis zu 2,5km in Dimensionen bis DN 500 - Ermittlung von Sanierungsverfahren - Abschnittsweise Sanierung mit Umpumpen (Überbrückung des jeweiligen Sanierungsbereichs) - Sanierung von Vorlagebehältern von Pumpwerken und Schächten incl. Umfahrung - Varianten aus Konzeptplanung neu überdenken
Internal identifier: Los 1

5.1.1. Purpose

Main nature of the contract: Services

Main classification (cpv): 71300000 Engineering services

Additional classification (cpv): 71322000 Engineering design services for the construction of civil engineering works

5.1.2. Place of performance

Town: Grömitz

Postcode: 23743

Country subdivision (NUTS): Ostholstein (DEF08)

Country: Germany

5.1.3. Estimated duration

Start date: 02/11/2026

Duration end date: 31/12/2031

5.1.5. Value

Estimated value excluding VAT: 13 200 000,00 EUR

5.1.6. General information

Reserved participation:

Participation is not reserved.

Procurement Project not financed with EU Funds.

The procurement is covered by the Government Procurement Agreement (GPA): no

This procurement is also suitable for small and medium-sized enterprises (SMEs): yes

Additional information: #Besonders auch geeignet für:selbst#,#Besonders auch geeignet für: other-sme#

5.1.7. Strategic procurement

Aim of strategic procurement: No strategic procurement

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: General yearly turnover

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Criterion: Other economic or financial requirements

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Criterion: Average yearly manpower

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Criterion: References on specified services

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Information about the second stage of a two-stage procedure:

Minimum number of candidates to be invited for the second stage of the procedure: 3

Maximum number of candidates to be invited for the second stage of the procedure: 3

The procedure will take place in successive stages. At each stage, some participants may be eliminated

The buyer reserves the right to award the contract on the basis of the initial tenders without any further negotiations

5.1.11. Procurement documents

Languages in which the procurement documents are officially available: German

Address of the procurement documents: <https://bi-medien.de/ausschreibungsdienste/ausschreibungen/D461402247>

5.1.12. Terms of procurement

Terms of submission:

Electronic submission: Required

Address for submission: <https://bi-medien.de>

Languages in which tenders or requests to participate may be submitted: German

Electronic catalogue: Not allowed

Variants: Not allowed

Tenderers may submit more than one tender: Allowed

Deadline for receipt of requests to participate: 02/06/2026 11:00:00 (UTC+02:00) Eastern European Time, Central European Summer Time

Information that can be supplemented after the submission deadline:

No documents can be submitted later.

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Electronic invoicing: Allowed

Electronic ordering will be used: no

Electronic payment will be used: yes

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: Vergabekammer Schleswig-Holstein

Information about review deadlines: GWB § 160 ff

5.1. Lot: LOT-0002

Title: Neubau PW 29, Sanierung PW 28 und 2 x AW-DRL Dahme Gruberhagen

Description: - Neubau von PW mit trocken aufgestellten Pumpen, Pumpleistungen bis zu 350m³/h - Neubau von PW mit nass aufgestellten Pumpen, Pumpleistungen bis zu 350m³/h - Sanierung von PW - Herausarbeitung von Sanierungskonzepten mit möglichem Variantenvergleich - Auslegung von Pumpwerken auf die hydraulischen Anforderungen unter Berücksichtigung auf zukünftiges Abwasseraufkommen - Bemessung Vorlagevolumen für Spitzenleistung bei Niederschlägen - Erstellung von PW-Konzepten unter Berücksichtigung von vorzugsweisem Betrieb von Pumpwerken in Reihe (Kaskaden) - Ermittlung der geeigneten Lage neuer Pumpwerke - Planung von Freigefälleleitungen als Zulaufsammler zu Pumpwerken incl. Hausanschlüssen - Anbindung von Bestandsdruckrohrleitung an PW - Anbindung von PW an redundante neu zu verlegende und bereits verlegte AW-DRL - Planung von Maßnahmen zur Verringerung von H₂S (z. B. Fe-Dosierung) - Erneuerung Schaltanlagen für PW - Notstromkonzept für PW - Ertüchtigung von Schaltanlagen für PW - Verlegung von Datenkabeln - Anbindung von Datenkabeln - Umfahrung von PW - Durchflussmessungen -

Stilllegung von Bestandspumpwerken - Berücksichtigung der Förderung von Pumpen über Bestandsdruckrohrleitungen für deren Erhalt (regelmäßiger Nachtbetrieb) - Erneuerung oder Neubau von Trinkwasserspülhydranten an PW - Neubau von DRL als einzelne oder redundante Leitung. Bei Trassenlängen von bis zu 8km und Dimensionen von bis zu DN 350 - Trassenermittlung von DRL unter Berücksichtigung der Baumaßnahmen der Gemeinden, ggf. mit Variantenbetrachtung und Berücksichtigung der saisonalen Möglichkeiten - Mögliche Einbindung von Bestandsdruckrohrleitungen in das System mit neuen Schieberkreuzen - Neubau von Trinkwasserleitungen in gemeinsamen Leitungsgräben mit AW-DRL - Anbindung von Trinkwasserleitungen an Bestandsleitungen incl. Herstellung von neuen Schieberkreuzen - Hydraulik zu AW-DRL und Freigefälleleitungen, incl. Berücksichtigung von steigendem Abwasseraufkommen für die Zukunft - Druckstoßberechnungen - Lage von Be- und Entlüftern und Spülmöglichkeiten für AW-DRL - Berücksichtigung und Erstellung von möglichen Hochwasserkonzepten - Variantenvergleich unter betriebswirtschaftlichen Gesichtspunkten - Anbindung von AW-DRL, für möglichen Bypass-Betrieb von PW - Herausarbeitung von Sanierungskonzepten für AW-DRL - Stilllegung Bestands-DRL - Anbindung von neuen DRL an bereits vorhandene DRL z.B. auf dem Gelände der Kläranlage Cismar, mit Vorbereitung von weiteren Anbindungsmöglichkeiten für die Zukunft - Sanierung von Bestandsleitungen (AW-DRL und Freigefälleleitungen) auf Längen von bis zu 2,5km in Dimensionen bis DN 500 - Ermittlung von Sanierungsverfahren - Abschnittsweise Sanierung mit Umpumpen (Überbrückung des jeweiligen Sanierungsbereichs) - Sanierung von Vorlagebehältern von Pumpwerken und Schächten incl. Umfahrung - Varianten aus Konzeptplanung neu überdenken
Internal identifier: Los 2

5.1.1. Purpose

Main nature of the contract: Services

Main classification (cpv): 71300000 Engineering services

Additional classification (cpv): 71322000 Engineering design services for the construction of civil engineering works

5.1.2. Place of performance

Town: Grömitz

Postcode: 23743

Country subdivision (NUTS): Ostholstein (DEF08)

Country: Germany

5.1.3. Estimated duration

Start date: 02/11/2026

Duration end date: 31/12/2031

5.1.5. Value

Estimated value excluding VAT: 4 550 000,00 EUR

5.1.6. General information

Reserved participation:

Participation is not reserved.

Procurement Project not financed with EU Funds.

The procurement is covered by the Government Procurement Agreement (GPA): no

This procurement is also suitable for small and medium-sized enterprises (SMEs): yes

Additional information: #Besonders auch geeignet für:selbst#,#Besonders auch geeignet für: other-sme#

5.1.7. Strategic procurement

Aim of strategic procurement: No strategic procurement

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: General yearly turnover

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Criterion: Other economic or financial requirements

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Criterion: Average yearly manpower

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Criterion: References on specified services

Description of selection criterion: siehe Formblatt Eignungskriterien

The criteria will be used to select the candidates to be invited for the second stage of the procedure

Information about the second stage of a two-stage procedure:

Minimum number of candidates to be invited for the second stage of the procedure: 3

Maximum number of candidates to be invited for the second stage of the procedure: 3

The procedure will take place in successive stages. At each stage, some participants may be eliminated

The buyer reserves the right to award the contract on the basis of the initial tenders without any further negotiations

5.1.11. Procurement documents

Languages in which the procurement documents are officially available: German

Address of the procurement documents: <https://bi-medien.de/ausschreibungsdienste/ausschreibungen/D461402247>

5.1.12. Terms of procurement

Terms of submission:

Electronic submission: Required

Address for submission: <https://bi-medien.de>

Languages in which tenders or requests to participate may be submitted: German

Electronic catalogue: Not allowed

Variants: Not allowed

Tenderers may submit more than one tender: Allowed

Deadline for receipt of requests to participate: 02/06/2026 11:00:00 (UTC+02:00) Eastern European Time, Central European Summer Time

Information that can be supplemented after the submission deadline:

No documents can be submitted later.

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Electronic invoicing: Allowed
Electronic ordering will be used: no
Electronic payment will be used: yes

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: Vergabekammer Schleswig-Holstein

Information about review deadlines: GWB § 160 ff.

8. Organisations

8.1. ORG-0001

Official name: Zweckverband Karkbrook

Registration number: 045621880

Postal address: Rathausplatz 11

Town: Grömitz

Postcode: 23743

Country subdivision (NUTS): Ostholstein (DEF08)

Country: Germany

Email: kontakt@zweckverband-karkbrook.de

Telephone: 045621880

Roles of this organisation:

Buyer

8.1. ORG-0002

Official name: Vergabekammer Schleswig-Holstein

Registration number: T04319884542

Department: -

Postal address: Düsternbrooker Weg 94

Town: Kiel

Postcode: 24105

Country subdivision (NUTS): Kiel, Kreisfreie Stadt (DEF02)

Country: Germany

Email: vergabekammer@wimi.landsh.de

Telephone: +49 (431) 9884542

Internet address: www.wimi.landsh.de

Roles of this organisation:

Review organisation

8.1. ORG-0003

Official name: Datenservice Öffentlicher Einkauf (in Verantwortung des Beschaffungsamts des BMI)

Registration number: 0204:994-DOEVD-83

Town: Bonn

Postcode: 53119

Country subdivision (NUTS): Bonn, Kreisfreie Stadt (DEA22)

Country: Germany
Email: noreply.esender_hub@bescha.bund.de
Telephone: +49228996100
Roles of this organisation:
TED eSender

Notice information

Notice identifier/version: a71009e7-2132-4141-9a08-b7a8f9940910 - 01
Form type: Competition
Notice type: Contract or concession notice – standard regime
Notice subtype: 16
Notice dispatch date: 23/04/2026 09:03:08 (UTC+02:00) Eastern European Time, Central European Summer Time
Languages in which this notice is officially available: German
Notice publication number: 281685-2026
OJ S issue number: 80/2026
Publication date: 24/04/2026