

Denmark-Esbjerg: Construction work for pipelines, communication and power lines
OJ S 124/2020 30/06/2020
Contract notice – utilities
Works

Legal Basis:

Directive 2014/25/EU

Section I: Contracting entity

I.1. Name and addresses

Official name: DIN Forsyning Varme A/S

National registration number: 32662498

Postal address: Ulvsundvej 1

Town: Esbjerg N

NUTS code: DK032 Sydjylland

Postal code: 6715

Country: Denmark

Contact person: Laila Juncker

E-mail: Kontakt@tohv.dk

Internet address(es):

Main address: <http://www.dinforsyning.dk>

Address of the buyer profile: <https://eu.eu-supply.com/ctm/Company/CompanyInformation/Index/269437>

I.3. Communication

The procurement documents are available for unrestricted and full direct access, free of charge, at: http://eu.eu-supply.com/app/rfq/rwlenrance_s.asp?PID=273788&B=DINFORSYNING

Additional information can be obtained from the abovementioned address

Tenders or requests to participate must be submitted electronically via: http://eu.eu-supply.com/app/rfq/rwlenrance_s.asp?PID=273788&B=DINFORSYNING

Tenders or requests to participate must be submitted to the abovementioned address

I.6. Main activity

Production, transport and distribution of gas and heat

Section II: Object

II.1. Scope of the procurement

II.1.1. Title

Negotiated Procedure of Lot F: Delivery of 66/10,5 kV Distribution System for DIN Forsyning Varme A/S

Reference number: Lot F - 66/10,5 kV

II.1.2. Main CPV code

45231000 Construction work for pipelines, communication and power lines

II.1.3.

Type of contract

Works

II.1.4. Short description

This invitation to tender concerns the procurement of Lot F: delivery of 66/10,5 kV distribution system for DIN Forsyning Varme A/S.

II.1.5. Estimated total value

II.1.6. Information about lots

This contract is divided into lots: no

II.2. Description

II.2.2. Additional CPV code(s)

31100000 Electric motors, generators and transformers, 31170000 Transformers, 31174000 Power supply transformers, 31213200 Distribution transformers, 31213400 Distribution system, 31320000 Power distribution cables, 31321000 Electricity power lines, 45230000 Construction work for pipelines, communication and power lines, for highways, roads, airfields and railways; flatwork, 45232200 Ancillary works for electricity power lines, 45232221 Transformer substation, 45251250 District-heating plant construction work, 45317200 Electrical installation work of transformers, 51111000 Installation services of electric motors, generators and transformers, 51111300 Installation services of transformers, 51112000 Installation services of electricity distribution and control equipment

II.2.3. Place of performance

NUTS code: DK032 Sydjylland

Main site or place of performance: Esbjerg.

II.2.4. Description of the procurement

This invitation to tender concerns the procurement of Lot F: Delivery of 66/10,5 kV distribution system for DIN Forsyning Varme A/S.

DIN Forsyning Varme A/S in Esbjerg, Denmark is in the process of replacing the heat delivered from the existing coal fired power station (ESV3) which is going out of operation 2023.

DIN Forsyning Varme A/S has decided to establish new base load production capacity to replace the heat previously purchased from Ørsted A/S with new heat production facilities to be located in harbor area close to the existing peak load plant City Centralen and existing heat accumulator tank and distribution pumps.

There will be established 60 MW wood chips fired heating boiler, 50 MW heat pump and expected 30 MW of electrical boiler.

The contract is based on Green FIDIC Short Form of Contract First Edition 1999.

DIN Forsyning Varme A/S intends to enter into a Contract with one contractor for the delivery of 66/10,5 kV distribution system.

All negotiation meetings will follow the same process, see below:

- 1) Prior to the negotiating meeting, DIN Forsyning Varme A/S will send out a meeting agenda;
- 2) A short note on the assessment of the initial tender will be enclosed with the agenda. The note contains DIN Forsyning Varme A/S's assessment of relevant opportunities for improvement in the initial tender, as well as any identified reservations which DIN Forsyning Varme A/S regards as reservations;
- 2a) Reservations means descriptions which may or must result in non-compliance if the reservation is maintained in the final tender;

3) The Tenderer will at the meeting have the opportunity to comment on different views on matters stated in the forwarded assessment.

DIN Forsyning Varme A/S points out that:

- only the contents of the final tender will form the basis for the evaluation of the tender and thus the basis for awarding the contract;
- fundamental elements will not form part of the negotiations;
- the criteria for awarding the contract and their weighting must remain stable throughout the procurement procedure, and they will consequently not form part of the negotiations;
- DIN Forsyning Varme A/S will document the entire process in the form of internal minutes of the meetings.

Concurrent notification will be given to the tenderers about all matters, including any changes to the contents of the tender documents.

II.2.5. Award criteria

Criteria below

Quality criterion - Name: Technical solution / Weighting: 25

Quality criterion - Name: Programme / Weighting: 25

Price - Weighting: 50

II.2.6. Estimated value

II.2.7. Duration of the contract, framework agreement or dynamic purchasing system

Start: 09/12/2020 End: 01/06/2022

This contract is subject to renewal: no

II.2.9. Information about the limits on the number of candidates to be invited

Envisaged number of candidates: 3 Objective criteria for choosing the limited number of candidates:

DIN Forsyning Varme A/S initiates the processing of the applications by ascertaining that they are compliant, including that the following requirements have been met:

- the application has been submitted through EU-Supply;
- the application contains the requested documentation and information;
- no reservations have been made about fundamental elements in the tender documents.

If one or more of the above requirements has or have not been met, the tender will generally not be included in the evaluation.

DIN Forsyning Varme A/S is entitled, but not obliged, to request an applicant to supplement, specify or complete the application by submitting relevant information or documentation within a reasonable deadline if this can be done in accordance with the Utilities Directive art. 76 (4).

Choice between several qualified applicants

Among the compliant applicants which meet the above suitability and documentation requirements, up to three (3) applicants, which are selected on an objective, impartial and factual basis, are requested to submit tenders if three (3) compliant and suitable applications are received.

If the above number of compliant and suitable applications are not received, DIN Forsyning Varme A/S will select the Applicants which are compliant and suitable, as long as DIN Forsyning Varme A/S finds that the number of selected Applicants can ensure adequate competition on the assignment.

The selection is made on the basis of both economic and financial standing and technical and professional ability, where in particular the number of and relevance of the references will be of importance.

DIN Forsyning Varme A/S will regard it as positive, that the Applicant has:

- the highest possible number of the newest comparable references that are commissioned in relation to size and functionality,
 - low lost time injury in the references stated,
 - solid economy,
 - prioritizing of The 17 Sustainable Development Goals in project comparable to this tender.
- DIN Forsyning Varme A/S makes an overall assessment of the applications.

II.2.10. Information about variants

Variants will be accepted: no

II.2.11. Information about options

Options: yes

Description of options:

Option 1: Transformers ATA08-10

DIN Forsyning Varme A/S requests as an option a price for Transformers ATA08-10. The price shall include design, manufacturing, transport, installation, test and commissioning.

Option 2: 10.5 kV Capacitor Bank

DIN Forsyning Varme A/S requests as an option 1 (one) shunt Capacitor Bank (detuned filter bank). The tenderer's scope of work comprises design, manufacturing, transport, installation, testing/commissioning, including equipment normally included in a delivery.

Option 3: 10.5 kV Harmonic Filter

DIN Forsyning Varme A/S requests as an option 1 (one) shunt harmonic filter (tuned filter bank). The tenderer's scope of work comprises design, manufacturing, transport, installation, testing/commissioning, including equipment normally included in a delivery.

II.2.13. Information about European Union funds

The procurement is related to a project and/or programme financed by European Union funds:
no

II.2.14. Additional information

Section III: Legal, economic, financial and technical information

III.1. Conditions for participation

III.1.1. Suitability to pursue the professional activity, including requirements relating to enrolment on professional or trade registers

List and brief description of conditions:

The applicant must state the date for approved statutory authorisation. The Applicant is requested to enter the Authorization number in the ESPD.

It is a minimum requirement, that the Applicant is listed with 'Full authorisation in the electricity installation area' (EFUL) on the list of authorised companies on the Danish Safety Technology Authority's website.

III.1.2. Economic and financial standing

List and brief description of selection criteria:

'General yearly turnover' for each of the last three (3) closed financial years at the time of the application deadline.

'Solvency Ratio' for each of the last three (3) closed financial years at the time of the application deadline.

'solvency ratio' must be calculated/determined in accordance with the Danish Financial Statements Act:

'solvency ratio' = 'Shareholder's equity'/Total assets*100

Minimum level(s) of standards possibly required:

It is a minimum requirement that the 'General yearly turnover' amounts to minimum 60 million DKK for each of the three (3) closed financial years.

It is a minimum requirement that the 'Solvency Ratio' amounts to minimum 10 percent for each of the three (3) closed financial years.

III.1.3. Technical and professional ability

List and brief description of selection criteria:

The Applicant must provide up to five (5) references which are delivered and the Applicant finds most comparable with this invitation to tender, see section II.2.4).

— if more references are provided, DIN Forsyning Varne A/S will only assess the five (5) latest references. Latest references mean delivered references. If more references are provided, DIN Forsyning Varne A/S will (where relevant) assess the references with the latest commencement date,

— the references must have been delivered within the last five (5) years calculated from the date of expiry of the application deadline,

— DIN Forsyning Varne A/S will disregard references concluded more than five (5) years before the application deadline.

The references must contain the following:

1) Description: description of the reference(s) with focus on the elements which make the reference comparable to this tender and compliant with the minimum requirements, see the last bullet. The description may also contain information about the period(s) in which the assignment has been performed (start and conclusion dates).

2) Amount: the value of the assignment(s) in EUR, i.e. the amount paid by the customer for the performance of the assignment(s);

3) Date: date for start-up (commencement date) and date for completion (conclusion date) of the most recent assignment listed under 'Description'. For references which have not yet been concluded, the field 'conclusion date' is left blank/empty;

4) Recipients: customer name incl. contact person and contact person's telephone number. The applicant has the opportunity, to attach a supplement to the answers that cannot be contained in ESPD'et, for example in the form of photographs and illustrations, etc. If the applicant chooses to do so, please clearly indicate reference in both ESPD and attachment. The applicant must state in 'Supply chain management' the total lost time injury for the references stated.

Lost time injury is defined as an incident in which the victim has at least one sick day in addition to the day of the injury. Lost time injury is calculated as:

$(\text{Number of lost time injuries})/(\text{Number of full-time employees}) * 1000$

The applicant must state in 'Environmental management measures' how 'The 17 Sustainable Development Goals' there are included in projects comparable to this tender.

Minimum level(s) of standards possibly required:

It is a minimum requirement that the references concern as minimum 72 kV distribution system onshore with capacity bigger than 20 MVA.

III.1.4. Objective rules and criteria for participation

List and brief description of rules and criteria:

The application for prequalification must consist of the European Single Procurement Document (ESPD), in which the requested information, cf. section VI.3) additional information,

must be provided. The ESPD is a self-declaration form which serves as initial documentation that the applicant, other entities or the association meets the criteria for exclusion, suitability and selection. This information must subsequently be verified.

The application for pre-qualification must be submitted via the link in section I.3) communication.

III.1.6. Deposits and guarantees required

The terms of deposits and guarantees must be in accordance with:

- template for parent company guarantee,
- contract agreement, security.

III.1.7. Main financing conditions and payment arrangements and/or reference to the relevant provisions governing them

The terms of payment must be in accordance with contracts payments schedule.

Section IV: Procedure

IV.1. Description

IV.1.1. Type of procedure

Negotiated procedure with prior call for competition

IV.1.3. Information about a framework agreement or a dynamic purchasing system

IV.1.8. Information about the Government Procurement Agreement (GPA)

The procurement is covered by the Government Procurement Agreement: yes

IV.2. Administrative information

IV.2.2. Time limit for receipt of tenders or requests to participate

Date: 07/08/2020 Local time: 10:00

IV.2.3. Estimated date of dispatch of invitations to tender or to participate to selected candidates

IV.2.4. Languages in which tenders or requests to participate may be submitted

English

IV.2.6. Minimum time frame during which the tenderer must maintain the tender

Duration in months: 6 (from the date stated for receipt of tender)

Section VI: Complementary information

VI.1. Information about recurrence

This is a recurrent procurement: no

VI.2. Information about electronic workflows

Electronic invoicing will be accepted

Electronic payment will be used

VI.3. Additional information

The application must consist of the European Single Procurement Document (ESPD).

The applicant fills in the ESPD electronically in the system EU-Supply:

- Section A: information about the economic operator,

- Section B: information about the economic operator's representatives,
- Section C: information about reliance on the capacities of other entities,
- Section D: information concerning subcontractors on whose capacity the economic operator does not rely.

Exclusion grounds:

- Section A: grounds relating to criminal convictions,
- Section B: grounds relating to the payment of taxes or social security contributions: if there are any outstanding payments, click 'Yes' and state the outstanding amount,
- Section C: grounds relating to insolvency, conflicts of interest or professional misconduct: The applicant must confirm that the applicant is not covered by the mandatory exclusion grounds laid down in section 135(1)-(3) and section 136 of the Danish Public Procurement Act. Otherwise, the contracting authority is obliged to exclude the applicant, see, however, section 135(4) and (5) of the Danish Public Procurement Act.

The applicant must further confirm, that the applicant is not covered by the following optional exclusion grounds cf. section 137 (1) of the Danish Public Procurement Act:

- breach of certain obligations cf. No 1,
- conditions concerning insolvency/bankruptcy or the like cf. No 2,
- serious negligence cf. No 3,
- agreement for distortion of competition cf. No 4,
- breach of previous public contract cf. No 5,
- improper influence of the purchaser's decision making cf. No 6.

In this connection, reference is made to the European Commission's guide for ESPD, which can be found under the following website: https://ec.europa.eu/isa2/solutions/european-single-procurement-document-espdc_en

In continuation of the notification of pre-qualification, the tenderer, other entities and association must, at the contracting authority's request, submit documentation in accordance with sections 144 and 152 of the Danish Public Procurement Act for the information provided in the ESPD in connection with the pre-qualification. How this documentation must be submitted is described in the tender conditions.

The contracting authority is entitled, but not obliged, to request the tenderer, the association's participants or other entities to supplement or specify the received documentation, see the Utilities Directive art. 76 (4).

If the tenderer, the association's participants or other entities are from Denmark, the documentation is presented in the form of a service certificate from the Danish Business Authority. The service certificate must contain information from:

- the probate court under the Danish District courts,
- the Danish Customs and Tax Administration,
- the Danish Labour Market Supplementary Pension Fund (ATP),
- the Police (the Danish Central Crime Register) Please note that a 'declaration of consent' must be filled in, signed and uploaded when ordering the service certificate.

The service certificate must be maximum six (6) months old calculated from the deadline for submission of the service certificate as stated by the contracting authority in the letter of request.

The processing time with the Danish business authority is approximately 2 weeks from when the order of the service certificate has been received.

If the tenderer, one or more of the participants in the association or other entities are not from Denmark, they must, as a general rule, submit the types of documentation stipulated in eCertis. eCertis is an online information system which must be used to find the right documentation to be used by EU member states in connection with invitations to tender.

The applicant/tenderer is requested to seek to clarify any unclear points and uncertainties by asking questions to the tender procedure. All questions must be submitted in EU-Supply.

VI.4. Procedures for review

VI.4.1. Review body

Official name: Klagenævnet for Udbud

Postal address: Nævnenes Hus, Toldboden 2

Town: Viborg

Postal code: 8800

Country: Denmark

E-mail: klfu@naevneneshus.dk

Telephone: +45 35291000

Internet address: <https://erhvervsstyrelsen.dk/klagenaevnet-for-udbud>

VI.4.3. Review procedure

Precise information on deadline(s) for review procedures:

Complaints regarding the tender procedure must be submitted to the Danish authority 'Danish Complaints Board for Public Procurement' ('Klagenævnet for udbud') according to the Act on the Danish Complaints Board for Public Procurement (available on www.retsinfo.dk), paragraph 7. Please observe that the act is not translated.

VI.4.4. Service from which information about the review procedure may be obtained

Official name: Konkurrence- og Forbrugerstyrelsen

Postal address: Carl Jacobsens Vej 35

Town: Valby

Postal code: 2500

Country: Denmark

E-mail: kfst@kfst.dk

Telephone: +45 41715000

Internet address: <http://www.kfst.dk>

VI.5. Date of dispatch of this notice

26/06/2020