

Germany-Wiesbaden: Roof

OJ S 226/2015 21/11/2015

Contract notice

Works

Directive 2004/18/EC

Section I: Contracting authority

I.1. Name and addresses

Official name: TriWiCon – Eigenbetrieb der Landeshauptstadt Wiesbaden

Postal address: Kurhausplatz 1

Town: Wiesbaden

Postal code: 65189

Country: Germany

For the attention of: Herrn Wossidlo

E-mail: henning.wossidlo@triwicon.de

Telephone: +49 6111729685

Fax: +49 6111729688

Internet address(es):

General address of the contracting authority: www.wiesbaden.de

Address of the buyer profile: <http://www.wiesbaden.de>

Additional information can be obtained from:

Official name: Ferdinand Heide Architekt BDA

Postal address: Leinwegergasse 4

Town: Frankfurt am Main

Postal code: 60386

Country: Germany

E-mail: vergabe004-rmh@ferdinand-heide.de

Fax: +49 6942082729

Internet address: <http://www.ferdinand-heide.de>

Specifications and additional documents (including documents for competitive dialogue and a dynamic purchasing system) can be obtained from:

Official name: Ferdinand Heide Architekt BDA

Postal address: Leinwegergasse 4

Town: Frankfurt am Main

Postal code: 60386

Country: Germany

E-mail: vergabe004-rmh@ferdinand-heide.de

Fax: +49 6942082729

Internet address: www.ferdinand-heide.de

Tenders or requests to participate must be submitted: Official name: TriWiCon – Eigenbetrieb der Landeshauptstadt Wiesbaden

Postal address: Konrad-Adenauer-Ring-11

Town: Wiesbaden

Postal code: 65187

Country: Germany

For the attention of: Herrn Wossidlo

E-mail: henning.wossidlo@triwicon.de

Telephone: +49 6111729685
Fax: +49 6111729688
Internet address: <http://www.wiesbaden.de>

I.2. Type of the contracting authority

Other: Eigenbetrieb der Landeshauptstadt Wiesbaden

I.3. Main activity

Recreation, culture and religion

I.4. Contract award on behalf of other contracting authorities

The contracting authority is purchasing on behalf of other contracting authorities: no

Section II: Object of the contract

II.1. Description

II.1.1. Title attributed to the contract by the contracting authority

Neubau der Rhein-Main-Hallen, Dachabdichtungsarbeiten.

II.1.2. Type of contract and place of performance or delivery

Works

Execution

Main site or place of performance: Rheinstraße 20, 65185 Wiesbaden.

NUTS code DE714 Wiesbaden, Kreisfreie Stadt

II.1.3. Information about a framework agreement or a dynamic purchasing system

The notice involves a public contract

II.1.4. Information about framework agreement

II.1.5. Short description of the contract or purchase(s)

Neubau der Rhein-Main-Hallen:

Dachabdichtungsarbeiten.

II.1.6. CPV code(s)

44112400 Roof, 45112713 Landscaping work for roof gardens, 45261210 Roof-covering work, 45261214 Bituminous roof-covering work, 45261310 Flashing work, 45261320 Guttering work, 45261410 Roof insulation work, 45261420 Waterproofing work

II.1.7. Information about the Government Procurement Agreement (GPA)

The procurement is covered by the Government Procurement Agreement: yes

II.1.8. Lots

This contract is divided into lots: no

II.1.9. Information about variants

Variants will be accepted: no

II.2. Scope of the procurement

II.2.1. Total quantity or scope

Dachdeckungs- und Dachabdichtungsarbeiten (DIN 18338), Abdichtungsarbeiten (DIN 18336), Metallbauarbeiten (DIN 18360)

Wesentliche Leistungen:

ca. 19 600 m² Bitumen-Dampfsperren;
ca. 3 900 m² Dampfsperre KSP-AL-KTG/Stahltrapezprofilblech;
ca. 13 500 m² Wärmedämmung Flachdach, Mineralwolle i. M. 230 mm, 2-lagig, als Gefälledämmung;
ca. 1 900 m² Wärmedämmung Flachdach, Mineraldämmstoffplatten i. M. 240 mm, DAA (dh /ds), als Gefälledämmung;
ca. 13 800 m² 2-lagige Flachdachabdichtung aus Polymerbitumenbahnen DU PYE-KTG-KSP-3,0/DO PYE-PV250 S5;
ca. 10 200 m² 2-lagige Flachdachabdichtung aus Polymerbitumenbahnen DU PYE-PV 200 DD/DO PYE-PV250 S5;
ca. 1 100 m² Perimeterdämmung (XPS) über Abdichtung, d= 180 mm, 1-lagig, WLG 040;
ca. 2 400 m² Abdichtung nach DIN 18195 T4 gegen Bodenfeuchtigkeit, PYE-PV250 S5 (Innenräume);
ca. 850 m² Abdichtung nach DIN 18195 T5 gegen nichtdrückendes Wasser, hohe Beanspruchung 2xPYE-PV250 S5 (Innenräume);
ca. 1 030 m Attikaabdeckung, Aluminumblech 3 mm, pulverbeschichtet, Z 620 bis 1 210 mm incl. Unterkonstruktion;
ca. 270 m Kolonadenabdeckung, Aluminumblech, pulverbeschichtet, Z 920 – 1 040 mm;
ca. 23 500 m² Dichtigkeitsprüfung durch Elektroimpulsverfahren;
ca. 3 500 m² extensive Dachbegrünung, 12 cm (Drainschicht + Extensivsubstrat für Begrünungen);
ca. 9 800 m² Dachbekiesung, Kiesschüttung 16/32 mm, 6 cm;
ca. 1 200 m Seilsicherungssystem, DIN EN795:2001 Klasse C;
ca. 8 000 m² Bautenschutzbahn, 6-8 mm;
ca. 1 000 m Gehwegplatten, Wartungsgänge auf den Flachdächern.

II.2.2. Information about options

II.2.3. Information about renewals

This contract is subject to renewal: no

II.3. Duration of the contract or time limit for completion

Start 3.3.2016. Completion 28.7.2017

Section III: Legal, economic, financial and technical information

III.1. Conditions related to the contract

III.1.1. Deposits and guarantees required

Sicherheiten für die Vertragserfüllung und Mängelansprüche werden gemäß der beigefügten Formblätter in den Vergabeunterlagen gefordert.

III.1.2. Main financing conditions and payment arrangements and/or reference to the relevant provisions governing them

Siehe Vorgaben in den Vergabeunterlagen.

III.1.3. Legal form to be taken by the group of economic operators to whom the contract is to be awarded

Gesamtschuldnerisch haftend mit bevollmächtigtem Vertreter.

III.1.4. Contract performance conditions

The performance of the contract is subject to particular conditions: no

III.2. Conditions for participation

III.2.1. Suitability to pursue the professional activity, including requirements relating to enrolment on professional or trade registers

List and brief description of conditions: Unternehmen, die nicht präqualifiziert sind, haben das den Vergabeunterlagen beiliegende Formblatt „RMH-004-Formblatt 124“ auszufüllen und auf Nachfrage die entsprechenden Unterlagen vorzulegen.

Unabhängig von der Vorlage der vorgenannten Nachweise ist das den Vergabeunterlagen beigefügte Formblatt „RMH-004-Formblatt-LHW-3-EU-Zuverlässigkeit“ vom Bieter bei Angebotsabgabe vorzulegen.

Geforderte Eignungsnachweise (gem. § 6 EG Abs. 3, 5 VOB/A), die in Form anerkannter Präqualifikationsnachweise (u. a. HPQR) vorliegen, werden zugelassen und anerkannt, wenn die Präqualifikationsnachweise in Form und Inhalt den geforderten Eignungsnachweisen entsprechen.

III.2.2. Economic and financial ability

List and brief description of conditions: Unternehmen, die nicht präqualifiziert sind, haben das den Vergabeunterlagen beiliegende Formblatt „RMH-004-Formblatt 124“ auszufüllen und auf Nachfrage die entsprechenden Unterlagen vorzulegen.

Geforderte Eignungsnachweise (gem. § 6 EG Abs. 3, 5 VOB/A), die in Form anerkannter Präqualifikationsnachweise (u. a. HPQR) vorliegen, werden zugelassen und anerkannt, wenn die Präqualifikationsnachweise in Form und Inhalt den geforderten Eignungsnachweisen entsprechen.

III.2.3. Technical and professional ability

List and brief description of conditions:

Unternehmen, die nicht präqualifiziert sind, haben das den Vergabeunterlagen beiliegende Formblatt „RMH-004-Formblatt 124“ auszufüllen und auf Nachfrage die entsprechenden Unterlagen vorzulegen.

Ergänzend müssen sich Nachweise zu Referenzen auf vergleichbare Leistungen beziehen, siehe auch das den Vergabeunterlagen beigefügte Formblatt „Formblatt-LHW-2 Referenz“

Geforderte Eignungsnachweise (gem. § 6 EG Abs. 3, 5 VOB/A), die in Form anerkannter Präqualifikationsnachweise (u. a. HPQR) vorliegen, werden zugelassen und anerkannt, wenn die Präqualifikationsnachweise in Form und Inhalt den geforderten Eignungsnachweisen entsprechen.

III.2.4. Information about reserved contracts

III.3. Conditions specific to services contracts

III.3.1. Information about a particular profession

III.3.2. Information about staff responsible for the performance of the contract

Section IV: Procedure

IV.1. Type of procedure

IV.1.1. Type of procedure

Open

IV.1.2. Information about the limits on the number of candidates to be invited

IV.1.3. Information about reduction of the number of solutions or tenders during negotiation or dialogue

IV.2. Award criteria

IV.2.1. Award criteria

The most economically advantageous tender in terms of Price is not the only award criterion and all criteria are stated only in the procurement documents

IV.2.2. Information about electronic auction

An electronic auction will be used: no

IV.3. Administrative information

IV.3.1. File reference number attributed by the contracting authority

2015-RMH-004

IV.3.2. Previous publication concerning this procedure

no

IV.3.3. Conditions for obtaining specifications and additional documents or descriptive document

Time limit for receipt of requests for documents or for accessing documents: 14.1.2016 - 10:00

Payable documents: no

IV.3.4. Time limit for receipt of tenders or requests to participate

14.1.2016 - 10:00

IV.3.5. Estimated date of dispatch of invitations to tender or to participate to selected candidates

IV.3.6. Languages in which tenders or requests to participate may be submitted

German.

IV.3.7. Minimum time frame during which the tenderer must maintain the tender

until: 31.3.2016

IV.3.8. Conditions for opening of tenders

Date: 14.1.2016 - 10:00

Place:

TriWiCon – Eigenbetrieb der Landeshauptstadt Wiesbaden,
Konrad-Adenauer-Ring 11,
65187 Wiesbaden,
Konferenzraum EG.

Persons authorised to be present at the opening of tenders: yes

Information about authorised persons and opening procedure: Bieter und deren bevollmächtigte Vertreter.

Section VI: Complementary information

VI.1. Information about recurrence

This is a recurrent procurement: no

VI.2. Information about European Union funds

The procurement is related to a project and/or programme financed by European Union funds:
no

VI.3. Additional information

Nachr. HAD-Ref. : 5478/11.

V-Nr/AKZ: 2015-RMH-004.

Kostenfreier Download der Unterlagen auf: https://www.had.de/online suche_langfassung.html?showpub=LNS ED9MTKMCDRWTN

Nachr. HAD-Ref. : 5478/11.

Nachr. V-Nr/AKZ: 2015-RMH-004.

VI.4. Procedures for review

VI.4.1. Review body

Official name: Vergabekammer des Landes Hessen beim Regierungspräsidium Darmstadt

Postal address: Dienstgebäude: Wilhelminenstraße 1-3; Fristenbriefkasten: Luisenplatz 2

Town: Darmstadt

Postal code: 64283

Country: Germany

Fax: +49 6151125816 / 6151126834

Body responsible for mediation procedures

Official name: Vergabekammer des Landes Hessen beim Regierungspräsidium Darmstadt

Postal address: Dienstgebäude: Wilhelminenstraße 1-3; Fristenbriefkasten: Luisenplatz 2

Town: Darmstadt

Postal code: 64283

Country: Germany

Fax: +49 6151125816 / 6151126834

VI.4.2. Review procedure

Precise information on deadline(s) for review procedures: Ergeht eine Mitteilung des Auftraggebers, der Rüge nicht abhelfen zu wollen, kann der Bieter wegen Nichtbeachtung der Vergabevorschriften ein Nachprüfungsverfahren nur innerhalb von 15 Kalendertagen nach Eingang vor der Vergabekammer beantragen.

Nach Ablauf der Frist ist der Antrag unzulässig. (§ 107 Abs. 3 Nr. 4 GWB).

VI.4.3. Service from which information about the review procedure may be obtained

Official name: Vergabekammer des Landes Hessen beim Regierungspräsidium Darmstadt

Postal address: Dienstgebäude: Wilhelminenstraße 1-3; Fristenbriefkasten: Luisenplatz 2

Town: Darmstadt

Postal code: 64283

Country: Germany

Fax: +49 6151125816 / 6151126834

VI.5. Date of dispatch of this notice

16.11.2015