

41762-2026 - Competition

France – Construction work – HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON

OJ S 13/2026 20/01/2026

Contract or concession notice – standard regime - Change notice
Works

1. Buyer

1.1. Buyer

Official name: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Email: nicolas.damo@external.shem.engie.com

Activity of the contracting entity: Electricity-related activities

2. Procedure

2.1. Procedure

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

Procedure identifier: 1e75a0cf-f09d-4694-a852-a5e0a776764c

Type of procedure: Negotiated with prior publication of a call for competition / competitive with negotiation

The procedure is accelerated: no

2.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

2.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

2.1.4. General information

Legal basis:

2.1.5. Terms of procurement

Terms of submission:

Maximum number of lots for which one tenderer can submit tenders: 6

2.1.6. Grounds for exclusion

Sources of grounds for exclusion: Procurement Document

5. Lot

5.1. Lot: LOT-0001

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 1
ISOLATION THERMIQUE EXTERIEURE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

5.1. Lot: LOT-0002

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 2 MENUISERIE EXTERIEURE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

5.1. Lot: LOT-0003

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 3 FAUX PLAFOND - ISOLATION - MENUISERIE INTERIEURE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries

isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques**Framework agreement:**

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

5.1. Lot: LOT-0004

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 4
CVC - PLOMBERIE - ELECTRICITE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec

régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

5.1. Lot: LOT-0005

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 5 PEINTURE - NETTOYAGE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

5.1. Lot: LOT-0006

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 6 CARRELAGE - FAIENCE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

5.1. Lot: LOT-0007

Title: HA_NDO_202602 TRAVAUX DE RENOVATION ENERGETIQUE LOURON _ LOT 7 DESAMIANPAGE

Description: Travaux pour la rénovation énergétique de maisons ouvrières dont : - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation des murs du FOYER par l'intérieur ($R \geq 3.70 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des menuiseries du FOYER par des menuiseries isolante $U_w \leq 1.30 \text{ W/m}^2.\text{K}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS et autoréglable dans FOYER - Panneaux rayonnants électriques avec régulation avancée + programmation. - Eclairage LED dans le FOYER. - Isolation par l'extérieurs des murs logements ($R \geq 4.50 \text{ m}^2.\text{K/W}$) - Isolation planchers bas sur caves et sous-sol $R \geq 4.25 \text{ m}^2.\text{K/W}$. - Isolation toiture rampants avec LDV $R \geq 8.00 \text{ m}^2.\text{K/W}$ - Isolation toiture combles perdus avec LDV $R \geq 10.00 \text{ m}^2.\text{K/W}$. - Remplacement des portes d'entrées et sur locaux non chauffés $U_d \leq 1.50 \text{ W/m}^2.\text{K}$. - Ventilation mécanique hygro B dans LOGEMENTS - Panneaux rayonnants électriques avec régulation avancée + programmation. - Remplacement des cumulus électriques par des chauffe eaux thermodynamiques sur air extrait ou extérieur. - Mise en sécurité électrique - Réfection dalle GO entrée de la maison du chef

5.1.1. Purpose

Main nature of the contract: Works

Main classification (cpv): 45000000 Construction work

5.1.2. Place of performance

Country subdivision (NUTS): Hautes-Pyrénées (FRJ26)

Country: France

5.1.3. Estimated duration

Other duration: Unknown

5.1.4. Renewal

Maximum renewals: 0

5.1.6. General information

Reserved participation:

Participation is not reserved.

The procurement is covered by the Government Procurement Agreement (GPA): no

5.1.9. Selection criteria

Sources of selection criteria: Notice

Criterion: Enrolment in a trade register

Description of selection criterion: Entreprise enregistrée sur un registre professionnel (KBIS ou attestation INSEE ou équivalent à transmettre).

Criterion: Average yearly turnover

Description of selection criterion: Chiffre d'Affaires annuel supérieur à 200 000 € HT.

Criterion: Technicians or technical bodies to carry out the work

Description of selection criterion: Critères de sélection tels que mentionnés dans les documents de la consultation.

5.1.11. Procurement documents

Access to certain procurement documents is restricted

Justification for restricting access to certain procurement documents: Tools, devices, or file formats not generally available

Languages in which the procurement documents are officially available: French

Deadline for requesting additional information: 21/01/2026

Information about restricted documents is available at: <https://shem.fr/appels-doffres/>

5.1.12. Terms of procurement

Terms of the procedure:

Estimated date of dispatch of the invitations to submit tenders: 22/01/2026

Terms of submission:

Electronic submission: Required

Address for submission: <https://shem.fr/appels-doffres/>

Languages in which tenders or requests to participate may be submitted: French

Electronic catalogue: Not allowed

Description of the financial guarantee: Les garanties seront mentionnées dans les CPA.

Deadline for receipt of requests to participate: 21/01/2026 12:00:00 (UTC+01:00) Central European Time, Western European Summer Time

Terms of contract:

The execution of the contract must be performed within the framework of sheltered employment programmes: No

Conditions relating to the performance of the contract: Les conditions seront indiquées dans le DCE.

Electronic invoicing: Allowed

Electronic ordering will be used: yes

Legal form that must be taken by a group of tenderers that is awarded a contract: Groupement solidaire ou groupement conjoint avec mandataire solidaire.

Financial arrangement: Fonds propres

5.1.15. Techniques

Framework agreement:

No framework agreement

Information about the dynamic purchasing system:

No dynamic purchase system

5.1.16. Further information, mediation and review

Review organisation: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Information about review deadlines: Pas de période de stand still

Organisation providing additional information about the procurement procedure: SOCIETE HYDRO-ELECTRIQUE DU MIDI

8. Organisations

8.1. ORG-0001

Official name: SOCIETE HYDRO-ELECTRIQUE DU MIDI

Registration number: FR04552139388
Registration number: 55213938800805
Town: BALMA
Postcode: 31130
Country subdivision (NUTS): Haute-Garonne (FRJ23)
Country: France
Email: nicolas.damo@external.shem.engie.com
Telephone: +33676656735
Internet address: <https://shem.fr/>

Roles of this organisation:

Buyer
Organisation providing additional information about the procurement procedure
Review organisation

8.1. ORG-0000

Official name: Publications Office of the European Union
Registration number: PUBL
Town: Luxembourg
Postcode: 2417
Country subdivision (NUTS): Luxembourg (LU000)
Country: Luxembourg
Email: ted@publications.europa.eu
Telephone: +352 29291
Internet address: <https://op.europa.eu>

Roles of this organisation:

TED eSender

10. Change

Version of the previous notice to be changed

:

14444-2026

Main reason for change

:

Buyer correction

Notice information

Notice identifier/version: 4acf47b3-e7f6-48f3-8aa8-daeb13976901 - 01

Form type: Competition

Notice type: Contract or concession notice – standard regime

Notice subtype: 17

Notice dispatch date: 16/01/2026 14:27:26 (UTC+00:00) Western European Time, GMT

Languages in which this notice is officially available: French

Notice publication number: 41762-2026

OJ S issue number: 13/2026

Publication date: 20/01/2026