

Germany-Gießen: Fireproofing work

OJ S 201/2022 18/10/2022

Contract award notice

Works

Legal Basis:

Directive 2014/24/EU

Section I: Contracting authority

I.1. Name and addresses

Official name: Vitos gGmbH für Vitos OKK gGmbH

Postal address: Licher Straße 106

Town: Gießen

NUTS code: DE721 Gießen, Landkreis

Postal code: 35394

Country: Germany

Contact person: Baumanagement

E-mail: baumanagement@vitos.de

Telephone: +49 6414031852

Fax: +49 6414031856

Internet address(es):Main address: www.vitos.de**I.2. Information about joint procurement**

The contract is awarded by a central purchasing body

I.4. Type of the contracting authority

Other type: gemeinnützige GmbH

I.5. Main activity

Health

Section II: Object

II.1. Scope of the procurement**II.1.1. Title**

Sanierung Vitos OKK Altes Bettenhaus - Brandschutz Mineralfaserputz Rippendecke

Reference number: 610.02-03-018

II.1.2. Main CPV code

45343100 Fireproofing work

II.1.3. Type of contract

Works

II.1.4. Short description

Brandschutz Mineralfaserputz Rippendecke

für die Sanierung des Alten Bettenhauses der Vitos Orthopädischen Klinik in Kassel

II.1.6. Information about lots

This contract is divided into lots: no

II.1.7. Total value of the procurement

Value excluding VAT: 275 623,52 EUR

II.2. Description

II.2.2. Additional CPV code(s)

45410000 Plastering work

II.2.3. Place of performance

NUTS code: DE731 Kassel, Kreisfreie Stadt

Main site or place of performance: Wilhelmshöher Allee 345 34131 Kassel

II.2.4. Description of the procurement

Brandschutzputz Mineralfaserputz Rippendecke Die Bestandskonstruktion Rippendecke muss durch Brandschutzertüchtigung gemäß des Brandschutzkonzeptes den Zielwert F90 erfüllen, dieser wird nach der Vorgabe "Brandschutztechnische Bewertung von Bestandsbauteilen" mit einer zusätzlichen Bekleidung aus Brandschutzmineralfaserputz erreicht. Die Leistung Brandschutzputz (Mineralfaserputz) auf vorhandene Stahlbeton-Rippendecke aufbringen, Rippenfläche geneigt, Rippenachsmaß 62 cm, mittlere Rippenbreite 15 cm, lichte Rippenhöhe 23 cm, in in allen Geschossen in mehreren Abschnitten zu kalkulieren. Der erhöhte Aufwand für das Anpassen der Bekleidung an die Rippendecke ist in die entsprechenden Positionen mit einzukalkulieren und wird nicht gesondert vergütet. Zementgebundener mineralischer Brandschutz-Mineralfaserputz, aus zement-gebundenen Mineralfasern, Stärke mind. 17 mm, gemäß Vorgabe "Brandschutz-technische Bewertung von Bestandsbauteilen". Baustoffklasse A 1 Schallabsorptionsklasse $w = 0,6$ (25 mm), Wärmeleitfähigkeit max. $0,05 \text{ W/m}^2\text{K}$ Rohdichte 200 - 250 kg/m^3 , Flächengewicht 5 kg/m^2 (20 mm) Zur Vorbereitung des Spritzputzes ist ein Haftgrund passend zum System aufzubringen. In Teilbereichen nicht ausreichender Haftfähigkeit sind Putzträger nach Vorgabe des Herstellers zu verwenden. Beim Auftragen des Spritzputzes hat der AN darauf zu achten, dass angrenzende Bauteile von Putz frei zu halten und ggf. durch geeignete Maßnahmen zu schützen sind.

II.2.5. Award criteria

Price

II.2.11. Information about options

Options: no

II.2.13. Information about European Union funds

The procurement is related to a project and/or programme financed by European Union funds: no

II.2.14. Additional information

Keine

Section IV: Procedure

IV.1. Description

IV.1.1. Type of procedure

Open procedure

IV.1.3. Information about a framework agreement or a dynamic purchasing system

IV.1.8. Information about the Government Procurement Agreement (GPA)

The procurement is covered by the Government Procurement Agreement: yes

IV.2. Administrative information

IV.2.1. Previous publication concerning this procedure

Notice number in the OJ S: [2022/S 138-393371](#)

IV.2.8. Information about termination of dynamic purchasing system

IV.2.9. Information about termination of call for competition in the form of a prior information notice

Section V: Award of contract

Contract No: 1

Title:

Sanierung Vitos OKK Altes Bettenhaus - Brandschutz Mineralfaserputz Rippendecke

A contract/lot is awarded: yes

V.2. Award of contract

V.2.1. Date of conclusion of the contract

23/09/2022

V.2.2. Information about tenders

Number of tenders received: 7

Number of tenders received from SMEs: 6

Number of tenders received from tenderers from other EU Member States: 0

Number of tenders received from tenderers from non-EU Member States: 0

Number of tenders received by electronic means: 7

The contract has been awarded to a group of economic operators: no

V.2.3. Name and address of the contractor

Official name: MEC GmbH

Postal address: Innungsstraße 5

Town: Buchholz

NUTS code: DE600 Hamburg

Postal code: 21244

Country: Germany

E-mail: info@mec-bau.de

Telephone: +49 4181/9285391

The contractor is an SME: yes

V.2.4. Information on value of the contract/lot

Total value of the contract/lot: 275 623,52 EUR

V.2.5. Information about subcontracting

Section VI: Complementary information

VI.3. Additional information

VI.4. Procedures for review

VI.4.1. Review body

Official name: Vergabekammer des Landes Hessen beim Regierungspräsidium Darmstadt

Postal address: Dienstgebäude: Hilpertstraße 31; Fristenbriefkasten: Luisenplatz 2

Town: Darmstadt

Postal code: 64295

Country: Germany

Telephone: +49 6151/126603

Fax: +49 6151/125816

VI.4.4. Service from which information about the review procedure may be obtained

Official name: Vergabekammer des Landes Hessen beim Regierungspräsidium Darmstadt

Postal address: Dienstgebäude: Hilpertstraße 31; Fristenbriefkasten: Luisenplatz 2

Town: Darmstadt

Postal code: 64295

Country: Germany

Telephone: +49 6151/126603

Fax: +49 6151/125816

VI.5. Date of dispatch of this notice

13/10/2022