

507711-2026 - Hange

Põhja-Makedoonia – Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted – Angiographic sterile set and sterile isolation set for cardiovascular surgeries.

OJ S 139/2026 22/07/2026

Hanketeade või kontsessiooniteade – üldkord

Asjad

1. Hankija

1.1. Hankija

Ametlik nimi: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

E-posti aadress: dini.ism@hotmail.com

Hankija õiguslik vorm: Keskvalitsusasutuse kontrollitav avalik-õiguslik isik

Hankija tegevus: Tervishoid

2. Menetlus

2.1. Menetlus

Pealkiri: Angiographic sterile set and sterile isolation set for cardiovascular surgeries.

Kirjeldus: Angiographic sterile set and sterile isolation set for cardiovascular surgeries.

Menetluse tunnus: 37d50003-7853-4169-87cc-7e65176aa4ef

Menetluse liik: Avatud

Kiirendatud menetlus: ei

2.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

2.1.2. Lepingu täitmise koht

Postiaadress: St. Mother Teresa nr. 17

Linn: Skopje

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

2.1.4. Üldine teave

Õiguslik alus:

Direktiiv 2014/24/EL

2.1.5. Hanke tingimused

Esitamise tingimused:

Hanke osade maksimaalne arv, mille kohta üks pakkuja võib pakkumusi esitada: 14

Lepingutingimused:

Nende osade maksimaalne arv, mille kohta võib sõlmida lepingu ühe pakkujaga: 14

2.1.6. Kõrvaldamise alused

Väljajätmise aluste allikad: Teade

Pankrot:

5. Osa

5.1. Osa: LOT-0001

Pealkiri: ANGIOGRAPHIC STERILE SET

Kirjeldus: ANGIOGRAPHIC STERILE SET

Sisemine tunnus: 1

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0002

Pealkiri: FET Set: Operating table cover made of nonwoven polypropylene/polyethylene fabric, dimensions 200 cm × 250 cm – Qty. 1, cellulose towels, dimensions 30 cm × 40 cm – Qty. 4, 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP/PE reinforcement, size XL, minimum length 150 cm, with sterile wrap and 2 cellulose towels – Qty. 8, Mayo stand cover made of nonwoven polypropylene/polyethy

Kirjeldus: FET Set: Operating table cover made of nonwoven polypropylene/polyethylene fabric, dimensions 200 cm × 250 cm – Qty. 1, cellulose towels, dimensions 30 cm × 40 cm – Qty. 4, 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP/PE reinforcement, size XL, minimum length 150 cm, with sterile wrap and 2 cellulose towels – Qty. 8, Mayo stand cover made of nonwoven polypropylene/polyethylene fabric, dimensions 80 cm × 145 cm – Qty. 2, surgical gauze, minimum 16-ply, dimensions 10 cm × 20 cm, with X-ray detectable strip, banded in groups of 10 and packed in a separate sterile package with a double perforated traceability label – Qty. 50, adhesive strips 9 cm × 50 cm – Qty. 2, self-adhesive tube holder, dimensions 9 cm × 11 cm with two 30 cm ties – Qty. 1, foot covers made of nonwoven fabric for limb isolation, 37.5 cm × 24 cm – Qty. 2, incise film 30 cm × 20 cm – Qty. 1, single-compartment diathermy pouch 38 cm × 40 cm – Qty. 1, sterile single-use electro-surgical monopolar pencil consisting of a plastic handle with two switches (CUT and COAG), 3.2 m cable, universal 3-pin connector compatible with the monopolar input of electro-surgical generators, straight stainless-steel spatula electrode Ø2.4 mm with compatibility for other electrodes with 2.4 mm shaft – Qty. 1, magnetic instrument holder 25 cm × 40 cm – Qty. 1, magnetic needle counter – Qty. 1, gauze swabs for dissection, 24-thread with X-ray detectable strip, Size 3, in a sliding counting box with compartments and double perforated traceability label – Qty. 10, three-piece Luer-Lock syringe 20 mL – Qty. 2, 100 mL irrigation syringe – Qty. 2, abdominal sponges with X-ray detectable strip, 20-thread, 4-ply, 100% cotton, 40 cm × 40 cm, divided into two different colours, 5 each – Qty. 10, plastic bowl 250 mL – Qty. 1, gauze swabs Size 5 – Qty. 5, 700 mL kidney dish – Qty. 2, cautery tip cleaner 5 cm × 5 cm – Qty. 1, surgical gauze minimum 12-ply, 10 cm × 20 cm – Qty. 15, sterile postoperative dressing made of white nonwoven material (100% polyester) with highly absorbent viscose/polyester core, overall size 10 cm × 8 cm and absorbent pad 6 cm × 4 cm – Qty. 1, surgical marker – Qty. 1, 30 cm ruler – Qty. 1, suction set consisting of a Yankauer suction handle and Ch.30 suction tubing, minimum length 300 cm – Qty. 1, Yankauer handle 8 mm – Qty. 1, diathermy extension electrode minimum 150 mm – Qty. 1, adhesive surgical drape of nonwoven polypropylene/polyethylene, 75 cm × 90 cm – Qty. 4, adhesive surgical drape of nonwoven polypropylene/polyethylene, 150 cm × 180 cm – Qty. 1, surgical drape of nonwoven polypropylene/polypropylene/polyethylene (reinforced around the operative field), 175 cm × 260 cm, with 20 cm × 100 cm fenestration and integrated genital protection – Qty. 1, thoracic adhesive surgical drape of nonwoven polypropylene/polyethylene, 75 cm × 110 cm, with 9 cm fenestration – Qty. 1, cardiac surgical drape of nonwoven polypropylene /polypropylene/polyethylene (reinforced around the operative field), dimensions 300/225 × 370 cm, with integrated incise film 38 cm × 40 cm, bilateral dual-compartment diathermy pouches, two additional single-compartment diathermy pouches and five equipment holders – Qty. 1. Reinforcement absorbency shall be minimum 477 mL/m² according to EN ISO 9073-6; hydrostatic pressure resistance minimum 174 cm according to EN 20811; run-off absorption maximum 45% according to EN ISO 9073-11; wet tensile strength minimum 193 N (MD) and

85 N (CD), dry tensile strength minimum 188 N (MD) and 73 N (CD), according to EN 29073-3; minimum basis weight 109 g/m². The set shall be sterilized by Ethylene Oxide (EO) in accordance with DIN EN ISO 11135-1 and comply with DIN EN 13795, AAMI PB70, EN 20811, AATCC 127, EN ISO 11737-1, EN ISO 13485, EN 29073-3, EN ISO 9073-11, EN ISO 9073-6, and be biocompatible according to DIN EN ISO 10993-1 or equivalent. Permissible dimensional tolerance: ±3%

Sisemine tunnus: 2

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0003

Pealkiri: Abdominal Aorta Set – Technical Specification (English) Abdominal Aorta Set:

Operating table cover made of nonwoven polypropylene/polyethylene fabric, dimensions 200 cm × 250 cm – Qty. 1, cellulose towels, dimensions 30 cm × 40 cm – Qty. 4, 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP/PE reinforcement, size XL, minimum length 150 cm, supplied with a sterile wrap and 2 cell

Kirjeldus: Abdominal Aorta Set – Technical Specification (English) Abdominal Aorta Set:

Operating table cover made of nonwoven polypropylene/polyethylene fabric, dimensions 200 cm × 250 cm – Qty. 1, cellulose towels, dimensions 30 cm × 40 cm – Qty. 4, 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP/PE reinforcement, size XL, minimum length 150 cm, supplied with a sterile wrap and 2 cellulose towels – Qty. 5, Mayo stand cover made of nonwoven polypropylene/polyethylene fabric, dimensions 80 cm × 145 cm – Qty. 1, surgical gauze, minimum 16-ply, dimensions 10 cm × 20 cm, with X-ray detectable strip, banded in packs of 10 and individually packed in a separate sterile package with a double perforated traceability label – Qty. 60, adhesive strips 9 cm × 50 cm – Qty. 2, incise film, dimensions 45 cm × 65 cm – Qty. 1, single-compartment diathermy pouch, dimensions 38 cm × 40 cm – Qty. 1, sterile single-use electrosurgical monopolar pencil consisting of a plastic handle with CUT and COAG switches, 3.2 m cable, universal 3-pin connector compatible with monopolar electrosurgical generators, straight stainless-steel spatula electrode Ø2.4 mm compatible with other 2.4 mm shaft electrodes – Qty. 1, magnetic needle counter – Qty. 1, 100 mL irrigation syringe – Qty. 1, abdominal sponges with X-ray detectable strip, 20-thread, 4-ply, 100% cotton, 40 cm × 40 cm, divided into two colours, 5 each – Qty. 10, gauze swabs Size 6 – Qty. 30, 700 mL kidney dish – Qty. 2, sterile postoperative dressing made of white nonwoven material (100% polyester) with highly absorbent viscose/polyester core, overall dimensions 10 cm × 8 cm with absorbent pad 6 cm × 4 cm – Qty. 1, suction set consisting of Yankauer suction handle and Ch.30 suction tubing, minimum 300 cm – Qty. 1, Yankauer handle 8 mm – Qty. 1, adhesive surgical drape of nonwoven polypropylene/polyethylene, 75 cm × 90 cm – Qty. 5, adhesive surgical drape of nonwoven polypropylene/polyethylene, 150 cm × 180 cm – Qty. 1, cardiac surgical drape of reinforced nonwoven polypropylene/polypropylene /polyethylene, dimensions 300/225 × 370 cm, integrated incise film 38 cm × 40 cm, bilateral dual-compartment diathermy pouches, two additional single-compartment diathermy pouches and five equipment holders – Qty. 1, Ch.30 silicone drain, minimum length 50 cm – Qty. 1, closed urine drainage bag, minimum capacity 2,000 mL – Qty. 1, self-adhesive tube holder 9 cm × 11 cm with two 30 cm ties – Qty. 1. The reinforcement material shall have a minimum absorbency of 477 mL/m² according to EN ISO 9073-6, hydrostatic pressure resistance of minimum 174 cm according to EN 20811, Run-off absorption rate maximum 45% according to EN ISO 9073-11, wet tensile strength minimum 193 N (machine direction) and 85 N (cross direction), dry tensile strength minimum 188 N (machine direction) and 73 N (cross direction), according to EN 29073-3. Minimum basis weight of the drapes: 109 g/m². The set shall be sterilized using Ethylene Oxide (EO) according to DIN EN ISO 11135-1 and comply with DIN EN 13795, AAMI PB70, EN 20811, AATCC 127, EN ISO 11737-1, EN ISO 13485, EN 29073-3, EN ISO 9073-11, EN ISO 9073-6, and be biocompatible according to DIN EN ISO 10993-1 or equivalent. Permissible dimensional tolerance: ±3%.

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0004

Pealkiri: Sterile Revision Set – Technical Specification (English) Sterile Revision Set made of nonwoven fabric and PE film, comprising at minimum: Operating table cover, dimensions 150 × 190 cm, with reinforced nonwoven section measuring 75 × 190 cm and double-sided polyethylene film measuring 37.5 × 190 cm – Qty. 1; Mayo stand cover made of nonwoven polypropylene/polyethylene fabric, dimensions 80 × 145 c

Kirjeldus: Sterile Revision Set – Technical Specification (English) Sterile Revision Set made of nonwoven fabric and PE film, comprising at minimum: Operating table cover, dimensions 150 × 190 cm, with reinforced nonwoven section measuring 75 × 190 cm and double-sided polyethylene film measuring 37.5 × 190 cm – Qty. 1; Mayo stand cover made of nonwoven polypropylene/polyethylene fabric, dimensions 80 × 145 cm, with reinforced absorbent area 65 × 85 cm – Qty. 2; elastic fixation strip 9 × 50 cm – Qty. 1; cellulose towels 30 × 40 cm – Qty. 4; 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP/PE reinforcement, size XL, minimum length 150 cm. Front reinforcement minimum 100 cm vertically and 50 cm horizontally; lower width minimum 69 cm; sleeve length minimum 64 cm with sleeve reinforcement minimum 43 cm; textile elastic cuff minimum 8 cm; chest circumference minimum 160 cm; sterile wrap for double sterility and two towels minimum 30 × 40 cm; hydrostatic resistance to liquid penetration minimum 220 cm in the sleeve area and minimum 125 cm in the front area according to AATCC 127 – Qty. 4; kidney dish 700 mL – Qty. 2; cautery tip cleaner 5 × 5 cm – Qty. 1; plastic arterial Kocher/Pean clamp, 14 cm – Qty. 1; suction set consisting of Yankauer suction handle and Ch.30 suction tubing, minimum length 300 cm – Qty. 1; Yankauer handle 8 mm – Qty. 1; abdominal sponges with radiopaque strip, 20-thread, 4-ply, 100% cotton, 40 × 40 cm, divided into two colours (white and blue), 5 each – Qty. 10; gauze compresses, 100% cotton, minimum 16-ply, 17-thread, 18 × 8 cm, with radiopaque thread composed of polypropylene, polyester and barium sulphate – Qty. 40; gauze swabs made of 100% cotton with silicone ring containing titanium dioxide and radiopaque thread composed of polypropylene, polyester and barium sulphate, Size 7 – Qty. 15; adhesive surgical drape made of nonwoven polypropylene/polyethylene, 75 × 90 cm with reinforced area 20 × 50 cm – Qty. 2; reinforced adhesive surgical drape made of nonwoven polypropylene/polyethylene, reinforcement 30 × 50 cm, overall dimensions 175 × 180 cm, adhesive area minimum 80 cm – Qty. 1; reinforced adhesive surgical drape made of nonwoven polypropylene/polyethylene, reinforcement 30 × 50 cm, overall dimensions 150 × 250 cm, adhesive area minimum 15+70+15 cm – Qty. 1; cardiac surgical drape made of reinforced nonwoven polypropylene/polypropylene/polyethylene, dimensions 300/225 × 370 cm, with integrated incise film 38 × 40 cm, dual-compartment diathermy pouches on both sides, two additional single-compartment diathermy pouches and five equipment holders – Qty. 1. The reinforcement shall provide absorbency of at least 477 mL/m² according to EN ISO 9073-6; hydrostatic pressure resistance minimum 174 cm according to EN 20811; Run-off absorption maximum 45% according to EN ISO 9073-11; wet tensile strength minimum 193 N (machine direction) and 85 N (cross direction), dry tensile strength minimum 188 N (machine direction) and 73 N (cross direction), according to EN 29073-3; drape basis weight minimum 109 g/m². The set shall be sterilized using Ethylene Oxide (EO) in accordance with DIN EN ISO 11135-1 and comply with DIN EN 13795, AAMI PB70, EN 20811, AATCC 127, EN ISO 11737-1, EN ISO 13485, EN 29073-3, EN ISO 9073-11, EN ISO 9073-6, and be biocompatible according to DIN EN ISO 10993-1 or equivalent. Permissible dimensional tolerance: ±3%.
Sisemine tunnus: 4

5.1.1. Eesmärk

Lepingu olemus: Asjad

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0005

Pealkiri: Cardiovascular Set: Operating table cover made of nonwoven polypropylene

/polyethylene fabric, dimensions 200 cm × 250 cm – Qty. 1, cellulose towels, dimensions 30

cm × 40 cm – Qty. 4, 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP /PE reinforcement, size XL, minimum length 150 cm, supplied with a sterile wrap and 2 cellulose towels – Qty. 7, Mayo stand cover made of nonwoven

Kirjeldus: Cardiovascular Set: Operating table cover made of nonwoven polypropylene /polyethylene fabric, dimensions 200 cm × 250 cm – Qty. 1, cellulose towels, dimensions 30 cm × 40 cm – Qty. 4, 6-layer surgical gown made of 4-layer SMMS with additional 2-layer PP /PE reinforcement, size XL, minimum length 150 cm, supplied with a sterile wrap and 2 cellulose towels – Qty. 7, Mayo stand cover made of nonwoven polypropylene/polyethylene fabric, dimensions 80 cm × 145 cm – Qty. 2, surgical gauze, minimum 16-ply, dimensions 10 cm × 20 cm, with X-ray detectable strip, banded in packs of 10 and individually packed in a separate sterile package with a double perforated traceability label – Qty. 50, single-compartment diathermy pouch, dimensions 38 cm × 40 cm – Qty. 2, adhesive strips 9 cm × 50 cm – Qty. 4, self-adhesive tube holder, dimensions 9 cm × 11 cm, with two 30 cm ties – Qty. 1, foot covers made of nonwoven fabric for lower limb isolation, dimensions 37.5 cm × 24 cm – Qty. 2, suction set consisting of a Yankauer suction handle and Ch.30 suction tubing, minimum length 300 cm – Qty. 1, Yankauer handle, 8 mm diameter – Qty. 1, sterile single-use electrosurgical monopolar pencil, consisting of a plastic handle with two switches (buttons), one for cutting (CUT) and one for coagulation (COAG), a 3.2 m cable, universal 3-pin connector compatible with the monopolar input of electrosurgical generators (electrocautery units), straight stainless-steel spatula electrode, 2.4 mm diameter, allowing attachment of other electrode types with 2.4 mm shaft diameter – Qty. 1, diathermy extension electrode, minimum length 150 mm – Qty. 1, magnetic needle counter – Qty. 1, 700 mL kidney dish – Qty. 2, surgical skin marker – Qty. 1, 30 cm measuring ruler – Qty. 1, 250 mL plastic bowl – Qty. 2, 180° Beaver blade – Qty. 2, electrocautery tip cleaner, dimensions 5 cm × 5 cm – Qty. 1, gauze swabs for blunt dissection, 24-thread, with X-ray detectable strip, Size 3, supplied in a sliding counting box with compartments and a double perforated traceability label – Qty. 10, gauze swabs with X-ray detectable strip, Size 4 – Qty. 10, surgical gauze, minimum 12-ply, dimensions 10 cm × 10 cm – Qty. 10, abdominal sponges with X-ray detectable strip, 20-thread, 4-ply, 100% cotton, dimensions 40 cm × 40 cm, divided into two different colours, five of each colour – Qty. 10, adhesive surgical drape made of nonwoven polypropylene /polyethylene fabric, dimensions 75 cm × 90 cm – Qty. 3, adhesive surgical drape made of nonwoven polypropylene/polyethylene fabric, dimensions 150 cm × 180 cm – Qty. 1, surgical drape made of nonwoven polypropylene/polypropylene/polyethylene fabric, reinforced around the operative field, dimensions 175 cm × 260 cm, with a 20 cm × 100 cm fenestration, integrated genital protection and minimum absorbency of 405 mL/m² – Qty. 1, cardiac surgical drape made of nonwoven polypropylene/polypropylene/polyethylene fabric, reinforced around the operative field, dimensions 300/225 cm × 370 cm, with integrated 38 cm × 40 cm incise film, dual-compartment diathermy pouches on each side, 2 additional single-compartment diathermy pouches, and 5 equipment holders – Qty. 1, sterile postoperative surgical dressing made of white nonwoven material (100% polyester) with a highly absorbent core made of viscose and polyester, overall dimensions 10 cm × 8 cm, with an absorbent pad measuring 6 cm × 4 cm – Qty. 1. The reinforcement material shall have a minimum absorbency of 477 mL /m² according to EN ISO 9073-6, resistance to liquid penetration (hydrostatic pressure) of minimum 174 cm according to EN 20811, a Run-off absorption rate of maximum 45% according to EN ISO 9073-11, and a wet tensile strength of minimum 193 N in the machine direction and minimum 85 N in the cross direction, and a dry tensile strength of minimum 188 N in the machine direction and minimum 73 N in the cross direction, according to EN 29073-3. The drapes shall have a minimum basis weight of 109 g/m². The set shall be sterilized using Ethylene Oxide (EO) in accordance with DIN EN ISO 11135-1 and shall comply with DIN EN 13795, AAMI PB70, EN 20811, AATCC 127, EN ISO 11737-1, EN ISO 13485, EN 29073-3,

EN ISO 9073-11, EN ISO 9073-6, and shall be biocompatible in accordance with DIN EN ISO 10993-1, or equivalent. Permissible dimensional tolerance: $\pm 3\%$. tolerance: $\pm 3\%$.

Sisemine tunnus: 5

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

5.1. Osa: LOT-0006

Pealkiri: Sterile 6-layer surgical gowns with a basis weight of 75 g/m², consisting of a four-layer SMMS nonwoven polypropylene material that is liquid-resistant, tear-resistant, breathable, latex-free and rosin-free (colophony-free), with an antistatic finish and an additional two-layer reinforcement in the front panel and sleeve areas, composed of nonwoven polypropylene and polyethylene film. The individu

Kirjeldus: Sterile 6-layer surgical gowns with a basis weight of 75 g/m², consisting of a four-layer SMMS nonwoven polypropylene material that is liquid-resistant, tear-resistant, breathable, latex-free and rosin-free (colophony-free), with an antistatic finish and an additional two-layer reinforcement in the front panel and sleeve areas, composed of nonwoven polypropylene and polyethylene film. The individual layers shall be bonded using hot-melt adhesive. Size XL, with a minimum gown length of 150 cm. The front reinforcement shall measure at least 100 cm vertically and 50 cm horizontally. The gown shall have a minimum lower width of 69 cm. Sleeve length shall be at least 64 cm, with minimum sleeve reinforcement of 43 cm and an additional sleeve attachment strip. The gown shall feature a textile elastic knitted cuff for secure fixation around the wrist, with a minimum cuff length of 8 cm, and a minimum chest circumference of 160 cm. Resistance to liquid penetration (hydrostatic pressure) shall be at least 220 cm H₂O in the sleeve area and at least 125 cm H₂O in the front panel, tested in accordance with AATCC 127. The gowns shall comply with the High Performance requirements for surgical gowns in accordance with DIN EN 13795 and AAMI PB70 (Performance Level 3), or equivalent. Permissible dimensional tolerance: ±3%. Sisemine tunnus: 6

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektroniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektroniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dunaamilise hankesüsteemi kohta:

Ei kohaldata dunaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0007

Pealkiri: Sterile transparent camera cover, reverse folded, composed of Low-Density Polyethylene film (LDPE), adhesive tape and fixation tape, individually packaged, latex-free, tear-resistant, impermeable to liquids and bacteria. The product shall comply with the requirements of EN 13795 standard (high performance level). Cover dimensions: 13 x 250 cm. Sterilized with Ethylene Oxide in accordance with DIN

Kirjeldus: Sterile transparent camera cover, reverse folded, composed of Low-Density Polyethylene film (LDPE), adhesive tape and fixation tape, individually packaged, latex-free, tear-resistant, impermeable to liquids and bacteria. The product shall comply with the requirements of EN 13795 standard (high performance level). Cover dimensions: 13 x 250 cm. Sterilized with Ethylene Oxide in accordance with DIN EN ISO 11135/1 and biocompatible according to DIN EN ISO 10993. Permitted deviation: +/- 3%.

Sisemine tunnus: 7

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused**Esitamise tingimused:**

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid**Raamleping:**

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0008

Pealkiri: Mayo stand cover made of non-woven polypropylene/polyethylene textile, with dimensions of 80 x 145 cm and a reinforced absorbent area of 65 x 85 cm. Resistance to liquid penetration (hydrostatic pressure) of the polypropylene layer: minimum 178 cm water column, and of the polyethylene film: minimum 193 cm water column, according to EN ISO 811. Tensile strength of the polypropylene layer: in wet co

Kirjeldus: Mayo stand cover made of non-woven polypropylene/polyethylene textile, with dimensions of 80 x 145 cm and a reinforced absorbent area of 65 x 85 cm. Resistance to liquid penetration (hydrostatic pressure) of the polypropylene layer: minimum 178 cm water column, and of the polyethylene film: minimum 193 cm water column, according to EN ISO 811. Tensile strength of the polypropylene layer: in wet condition minimum 113 N in longitudinal direction and minimum 59 N in transverse direction; in dry condition minimum 112

N in longitudinal direction and minimum 55 N in transverse direction. Tensile strength of the polyethylene film: in wet condition minimum 53 N in longitudinal direction and minimum 32 N in transverse direction; in dry condition minimum 55 N in longitudinal direction and minimum 31 N in transverse direction, according to EN 29073-3. Permitted deviation: +/- 3%.

Sisemine tunnus: 8

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dūnaamilise hankesūsteemi kohta:

Ei kohaldata dūnaamilist hankesūsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0009

Pealkiri: Sterile adhesive dressing, dimensions 10 x 20 cm, made of 100% polyester non-woven textile, with polyacrylate adhesive free from colophony (rosin) and its derivatives. The dressing shall have a highly absorbent pad made of viscose and polyethylene/polypropylene, with a polyethylene wound-contact layer measuring 5 x 16 cm. Permitted deviation from the specified dimensions: +/- 3%.

Kirjeldus: Sterile adhesive dressing, dimensions 10 x 20 cm, made of 100% polyester non-woven textile, with polyacrylate adhesive free from colophony (rosin) and its derivatives. The dressing shall have a highly absorbent pad made of viscose and polyethylene/polypropylene, with a polyethylene wound-contact layer measuring 5 x 16 cm. Permitted deviation from the specified dimensions: +/- 3%.

Sisemine tunnus: 9

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid**Raamleping:**

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0010

Pealkiri: Sterile adhesive dressing, dimensions 10 x 15 cm, made of 100% polyester non-woven textile, with polyacrylate adhesive free from colophony (rosin) and its derivatives. The dressing shall have a highly absorbent pad made of viscose and polyethylene/polypropylene, with a polyethylene wound-contact layer measuring 5 x 11 cm. Permitted deviation from the specified dimensions: +/- 3%.

Kirjeldus: Sterile adhesive dressing, dimensions 10 x 15 cm, made of 100% polyester non-woven textile, with polyacrylate adhesive free from colophony (rosin) and its derivatives. The dressing shall have a highly absorbent pad made of viscose and polyethylene/polypropylene, with a polyethylene wound-contact layer measuring 5 x 11 cm. Permitted deviation from the specified dimensions: +/- 3%.

Sisemine tunnus: 10

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave**Reserveeritud osalemine:**

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid**Raamleping:**

Ei kohaldata raamlepingut

Teave dūnaamilise hankesūsteemi kohta:

Ei kohaldata dūnaamilist hankesūsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0011

Pealkiri: Polyurethane film coated with skin-friendly polyacrylate adhesive, non-allergenic, intended for covering the incision site. The film shall be elastic, bacteria-resistant, permeable to water vapour, transparent and non-reflective, with green edges for easy gripping and application. It shall be manufactured from materials that do not contain natural rubber latex and shall be biocompatible according

Kirjeldus: Polyurethane film coated with skin-friendly polyacrylate adhesive, non-allergenic, intended for covering the incision site. The film shall be elastic, bacteria-resistant, permeable to water vapour, transparent and non-reflective, with green edges for easy gripping and application. It shall be manufactured from materials that do not contain natural rubber latex and shall be biocompatible according to DIN EN ISO 10993 standard or equivalent. Film dimensions: 55 x 80 cm, permitted deviation: $\pm 3\%$. Sterilized with Ethylene Oxide (EO) in accordance with DIN EN ISO 11135 standard or equivalent. $\pm 3\%$.

Sisemine tunnus: 11

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dunaamilise hankesüsteemi kohta:

Ei kohaldata dunaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0012

Pealkiri: Sterile set consisting of: Wrapper, dimensions 68 x 70 cm – quantity 1; Silicone drain CH36, length 50 cm; Sterile adhesive dressing consisting of a 100% polyester non-woven fabric carrier with polyacrylate adhesive free from colophony (rosin) and a highly absorbent pad made of viscose and polyethylene/polypropylene, with a polyethylene wound-contact layer measuring 10 x 34 cm and absorbent pad

Kirjeldus: Sterile set consisting of: Wrapper, dimensions 68 x 70 cm – quantity 1; Silicone drain CH36, length 50 cm; Sterile adhesive dressing consisting of a 100% polyester non-woven fabric carrier with polyacrylate adhesive free from colophony (rosin) and a highly absorbent

pad made of viscose and polyethylene/polypropylene, with a polyethylene wound-contact layer measuring 10 x 34 cm and absorbent pad measuring 5 x 29 cm – quantity 1; Two-layer adhesive drape, dimensions 75 x 90 cm – quantity 1. The absorbency of the drapes shall be minimum 200 ml/m² according to EN ISO 9073-6. Resistance to liquid penetration shall be minimum 129 cm water column according to EN 20811. Run-off absorption rate shall be maximum 75% according to EN ISO 9073-11. Tensile strength shall be: in wet condition minimum 104 N in longitudinal direction and minimum 53 N in transverse direction; in dry condition minimum 99 N in longitudinal direction and minimum 50 N in transverse direction, according to EN 29073-3. The specific weight of the drape material shall be minimum 57 g/m². The set shall be sterilized by Ethylene Oxide (EO) in accordance with DIN EN ISO 11135-1 and shall comply with the following standards: DIN EN 13795; AAMI PB70; EN 20811; AATCC 127; EN ISO 11737-1; EN ISO 13485; EN 29073-3; EN ISO 9073-11; EN ISO 9073-6, as well as be biocompatible according to DIN EN ISO 10993-1 or equivalent standard. Permitted deviation from the specified dimensions: +/- 3%.

Sisemine tunnus: 12

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektroniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektroniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei
E-arveldamine: Ei ole lubatud
Kasutatakse elektroonilisi tellimusi: ei
Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dūnaamilise hankesūsteemi kohta:

Ei kohaldata dūnaamilist hankesūsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0013

Pealkiri: Anti-fog surgical masks for loupes, single-use, with ties, made of three-layer non-woven textile. The outer layer shall be made of polypropylene spunbond material (18 g/m²), the filter medium shall be polypropylene meltblown material (20 g/m²), and the inner layer shall be made of polypropylene spunbond material (20 g/m²), ultrasonically bonded together. The masks shall contain an extra-long nose

Kirjeldus: Anti-fog surgical masks for loupes, single-use, with ties, made of three-layer non-woven textile. The outer layer shall be made of polypropylene spunbond material (18 g/m²), the filter medium shall be polypropylene meltblown material (20 g/m²), and the inner layer shall be made of polypropylene spunbond material (20 g/m²), ultrasonically bonded together. The masks shall contain an extra-long nose clip made of galvanized steel covered with polyethylene, and an anti-fogging strip made of polyurethane foam. They shall be odour-free, latex-free, and free from glass fibres. The masks shall provide a high level of bacterial filtration efficiency, Type II (BFE), according to EN 14683 or equivalent, and shall be biocompatible according to DIN EN ISO 10993 or equivalent. Permitted deviation from the specified dimensions: +/- 3%./+/- 3%.

Sisemine tunnus: 13

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

5.1. Osa: LOT-0014

Pealkiri: Long-stretch elastic bandage, dimensions 10 cm x 7 m, composed of 58% cotton, 24% polyamide, 8% elastane and 10% viscose, with an extensibility of 170%. Permitted deviation from the specified dimensions: +/- 3%.

Kirjeldus: Long-stretch elastic bandage, dimensions 10 cm x 7 m, composed of 58% cotton, 24% polyamide, 8% elastane and 10% viscose, with an extensibility of 170%. Permitted deviation from the specified dimensions: +/- 3%.

Sisemine tunnus: 14

5.1.1. Eesmärk

Lepingu olemus: Asjad

Peamine liigitus (cpv): 33000000 Meditsiiniseadmed, farmaatsiatooted ja isikuhooldustooted

5.1.2. Lepingu täitmise koht

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

5.1.3. Eeldatav kestus

Kestus: 1 Aasta

5.1.6. Üldine teave

Reserveeritud osalemine:

Osalemine ei ole reserveeritud.

Hankeprojekt, mida ei rahastata ELi vahenditest

Hanke suhtes kohaldatakse riigihankelepingut (GPA): ei

5.1.9. Kvalifitseerimistingimused

Valikukriteeriumide allikad: Hankedokument

5.1.11. Hankedokumendid

Hankedokumentide aadress: www.e-nabavki.gov.mk

5.1.12. Hanke tingimused

Esitamise tingimused:

Elektrooniline esitamine: Lubatud

Esitamise aadress: www.e-nabavki.gov.mk

Keeled, milles võib pakkumusi või osalemistaotlusi esitada: makedoonia keel

Elektrooniline kataloog: Ei ole lubatud

Pakkumuste esitamise tähtaeg: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Periood, mille jooksul pakkumus peab jääma kehtivaks: 120 Päevad

Teave avaliku avamise kohta:

Avamise kuupäev: 17/08/2026 12:00:00 (UTC+02:00) Ida-Euroopa aeg, Kesk-Euroopa suveaeg

Lepingutingimused:

Lepingu täitmine peab toimuma kaitstud tööhõive programmide raames: Ei

E-arveldamine: Ei ole lubatud

Kasutatakse elektroonilisi tellimusi: ei

Kasutatakse elektroonilisi makseid: ei

5.1.15. Vahendid

Raamleping:

Ei kohaldata raamlepingut

Teave dünaamilise hankesüsteemi kohta:

Ei kohaldata dünaamilist hankesüsteemi

5.1.16. Lisateave, lepitus ja vaidlustus

Vaidlustusorgan: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Teave vaidlustamise tähtaegade kohta: www.e-nabavki.gov.mk

8. Organisatsioonid

8.1. ORG-0001

Ametlik nimi: PHI UNIVERSITY CLINIC FOR CARDIOLOGY AND CARDIOVASCULAR SURGERY NATIONAL CENTER FOR CARDIOVASCULAR DISEASES

Registreerimisnumber: 7929420

Postiaadress: St. Mother Teresa, nr. 17

Linn: Skopje

Riik – jaotus (NUTS): Скопски (MK008)

Riik: Põhja-Makedoonia

Kontaktpunkt: Sonja Janakieva

E-posti aadress: dini.ism@hotmail.com

Telefon: 0038923113 116

Faks: 0038923113 116

Selle organisatsiooni rollid:

Hankija

Vaidlustusorgan

8.1. ORG-0000

Ametlik nimi: Publications Office of the European Union

Registreerimisnumber: PUBL

Linn: Luxembourg

Sihtnumber: 2417

Riik – jaotus (NUTS): Luxembourg (LU000)

Riik: Luksemburg

E-posti aadress: ted@publications.europa.eu

Telefon: +352 29291

Internetiaadress: <https://op.europa.eu>

Selle organisatsiooni rollid:

TED eSender

Teave teate kohta

Teate tunnus/version: b7e6e577-f610-4622-a595-fe006cfac9fa - 01

Vormi liik: Hange

Teate liik: Hanketeade või kontsessiooniteade – üldkord

Teate alaliik: 16

Teate saatmise kuupäev: 21/07/2026 07:19:42 (UTC+00:00) Lääne-Euroopa aeg, Greenwichi aeg

Keeled, milles käesolev teade on ametlikult kättesaadav: inglise keel

Teate avaldamise number: 507711-2026

ELT S väljaande number: 139/2026

Avaldamise kuupäev: 22/07/2026