

302011-2026 - Kilpailu

Norja – Merellä suoritettavat rakennustyöt – Gjennomseiling Herøy - Ulstein

OJ S 85/2026 04/05/2026

Hankintailmoitus tai käyttöoikeussopimusta koskeva ilmoitus – vakiojärjestelmä - Ilmoituksen muutos

Rakennusurakat

1. Ostaja

1.1. Ostaja

Virallinen nimi: KYSTVERKET

Sähköposti: hallvard.svendsen@kystverket.no

Ostajan oikeudellinen muoto: Julkisoikeudellinen yhteisö, joka on keskushallinnon viranomaisen määräysvallassa

Pääasiallinen toimiala: Yleinen julkishallinto

2. Menettely

2.1. Menettely

Ilmoituksen nimi: Gjennomseiling Herøy - Ulstein

Kuvaus: The main road from Røyrasundet to Svædet in Herøy and Ulstein municipalities shall be elaborated. The main aim is to increase security and ease of navigation in a complex and weather prone fairway. The measure comprises a total of 3 deepening areas Skinnbrokleia, Kyrkjefluda and Svædet. It is planned to dredge all areas to a depth of -11.3 metres (nautical chart wool). The total planned deepening area is approx. 86,000 m² and the calculated deepening volume is approx. 175,000 cubic metres of engineered solid matter (pfm³). The project has two regulated and approved seabed deposits, one in direct connection to the deepening area at Skinnbrokleia and one at Kyrkjefluda. The project has an option to transport the dredged materials to Herøy municipality's filling area Paradisbukta.

Menettelyn tunnistus: 55ed1a50-9258-45a1-b959-157674412f4f

Sisäinen tunnistus: 2026/1130

Menettelyn tyyppi: Avoin

Käytetään nopeutettua menettelyä: ei

Menettelyn tärkeimmät piirteet: The main aim is to increase security and ease of navigation in a complex and weather prone fairway. The measure comprises a total of 3 deepening areas Skinnbrokleia, Kyrkjefluda and Svædet. It is planned to dredge all areas to a depth of -11.3 metres. The total planned deepening area is approx. 86,000 m² and the calculated deepening volume is approx. 175,000 cubic metres designed in-situ volum (pfm³). The project has two regulated and approved seabed deposits, one in direct connection to the dredging area at Skinnbrokleia and one at Kyrkjefluda. The project has an option to transport the dredged materials to Herøy municipality's filling area Paradisbukta.

2.1.1. Tarkoitus

Pääasiallinen hankintalaji: Rakennusurakat

Pääasiallinen luokitus (cpv): 45244000 Merellä suoritettavat rakennustyöt

Lisäluokitus (cpv): 45240000 Vesirakennustyöt, 45247100 Vesiväylien rakennustyöt, 45252124

Ruoppaus- ja pumppaustyöt

2.1.2. Suorituspaikka

Maaryhmittely (NUTS): Møre og Romsdal (NO0A3)

Maa: Norja

2.1.4. Yleistä tietoa

Oikeusperusta:

Direktiivi 2014/24/EU

Anskaffelsesforskriften - The procurement process is covered by the Public Procurement Act, 17 June 2016 (LOA) and the Public Procurement Regulations (FOA) FOR 2016-08-12-971.

PPR parts I and III. The contract will be awarded in accordance with the open tender contest procedure, cf. FOA 13-1(1). This is a procurement procedure that does not allow negotiations.

Anskaffelsesforskriften - The procurement process is covered by the Public Procurement Act, 17 June 2016 (LOA) and the Public Procurement Regulations (FOA) FOR 2016-08-12-971.

PPR parts I and III. The contract will be awarded in accordance with the open tender contest procedure, cf. FOA 13-1(1).

2.1.6. Poissulkemisperusteet

Poissulkemisperusteiden ilmoittamispaikka: Yhteinen eurooppalainen hankinta-asiakirja (ESPD), Hankinta-asiakirja

5. Osa

5.1. Osa: LOT-0000

Ilmoituksen nimi: Gjennomseiling Herøy - Ulstein

Kuvaus: The main road from Røyrasundet to Svædet in Herøy and Ulstein municipalities shall be elaborated. The main aim is to increase security and ease of navigation in a complex and weather prone fairway. The measure comprises a total of 3 deepening areas Skinnbrokleia, Kyrkjefluda and Svædet. It is planned to dredge all areas to a depth of -11.3 metres (nautical chart wool). The total planned deepening area is approx. 86,000 m² and the calculated deepening volume is approx. 175,000 cubic metres of engineered solid matter (pfm³). The project has two regulated and approved seabed deposits, one in direct connection to the deepening area at Skinnbrokleia and one at Kyrkjefluda. The project has an option to transport the dredged materials to Herøy municipality's filling area Paradisbukta.

Sisäinen tunniste: 2026/1130

5.1.1. Tarkoitus

Pääasiallinen hankintalaji: Rakennusurakat

Pääasiallinen luokitus (cpv): 45244000 Merellä suoritettavat rakennustyöt

Lisäluokitus (cpv): 45240000 Vesirakennustyöt, 45247100 Vesiväylien rakennustyöt, 45252124

Ruoppaus- ja pumppaustyöt

5.1.2. Suorituspaikka

Maaryhmittely (NUTS): Møre og Romsdal (NO0A3)

Maa: Norja

5.1.3. Arvioitu kesto

Alkamispäivä: 31/05/2026

Päätymispäivä: 28/02/2028

5.1.6. Yleistä tietoa

Varattu osallistuminen:

Osallistumista ei ole varattu.

Hankintaa ei ole rahoitettu EU:n varoista

Hankintaan sovelletaan WTO:n julkisia hankintoja koskevaa sopimusta (GPA): ei

5.1.9. Valintaperusteet

Valintaperusteiden ilmoittamispaikka: Yhteinen eurooppalainen hankinta-asiakirja (ESPD),
Hankinta-asiakirja

5.1.11. Hankinta-asiakirjat

Kielet, joilla hankinta-asiakirjat ovat virallisesti saatavilla: norja

Lisätietojen pyytämisen määräaika: 15/05/2026 10:00:00 (UTC+00:00) Länsi-Euroopan aika,
GMT

Hankinta-asiakirjojen osoite: <https://permalink.mercell.com/270148822.aspx>

5.1.12. Hankinnan ehdot

Tarjouksen/hakemuksen jättämisen ehdot:

Tarjouksen/hakemuksen jättäminen sähköisesti: Pakollinen

Tarjouksen/hakemuksen toimitusosoite: <https://permalink.mercell.com/270148822.aspx>

Kielet, joilla tarjoukset tai osallistumishakemukset voidaan toimittaa: norja

Sähköinen luettelo: Ei sallittu

Vaaditaan kehittynyt tai hyväksytty sähköinen allekirjoitus tai leima (sellaisena kuin se on
määritelty asetuksessa (EU) N:o 910/2014)

Vaihtoehtoiset tarjoukset: Ei sallittu

Tarjousten vastaanottamisen määräaika: 26/05/2026 10:00:00 (UTC+00:00) Länsi-Euroopan
aika, GMT

Ajanjakso, jonka tarjouksen on pysyttävä voimassa: 3 Kuukaudet

Tietoa julkisesta avaamisesta:

Tarjousten avaamisen päivämäärä: 26/05/2026 10:00:00 (UTC+00:00) Länsi-Euroopan aika,
GMT

Sopimusehdot:

Sopimuksen täytäntöönpano on rajattu tehtäväksi suojatyöohjelmien puitteissa: Ei

Sähköinen laskutus: Pakollinen

Tilaukset tehdään sähköisesti: ei

Maksut tehdään sähköisesti: kyllä

5.1.15. Menetelmät

Puitejärjestely:

Ei puitejärjestelyä

Tietoa dynaamisesta hankintajärjestelmästä:

Ei dynaamista hankintajärjestelmää

5.1.16. Lisätietoja, sovittelu ja muutoksenhaku

Muutoksenhakuelin: Salten og Lofoten tingrett

Tietoa muutoksenhaun määräajoista: PPR part III (above the EEA threshold): Waiting period:
10 days after the award of contract. Appeals to the contracting authority: no fixed deadline,
ought to occur during the waiting period. Temporary injunction: Must be petitioned before the
contract is signed. KOFA appeal: No fixed deadline.

8. Organisaatiot

8.1. ORG-0001

Virallinen nimi: KYSTVERKET

Rekisterinumero: 874783242

Postiosoite: Postboks 1502

Postitoimipaikka: ÅLESUND
Postinumero: 6025
Maaryhmittely (NUTS): Møre og Romsdal (NO0A3)
Maa: Norja
Yhteyspiste: Hallvard Svendsen
Sähköposti: hallvard.svendsen@kystverket.no
Puhelin: +47 07847
Internetosoite: <http://www.kystverket.no>
Tämän organisaation roolit:
Ostaja

8.1. ORG-0002

Virallinen nimi: Salten og Lofoten tingrett
Rekisterinumero: 826 723 122
Postiosoite: Storgata 38, 8006 Bodø, Norge
Postitoimipaikka: Bodø
Postinumero: 8006
Maaryhmittely (NUTS): Møre og Romsdal (NO0A3)
Maa: Norja
Tämän organisaation roolit:
Muutoksenhakuelin

10. Muutos

Muutettavan ilmoituksen edellinen versio

:

ced275bf-02e0-49d3-a4b1-4be3474ff31c-01

Muutoksen pääasiallinen syy

:

Ajantasaiset tiedot

Kuvaus

:

Changes Passing Through Herøy - Ulstein 1. Introduction The contracting authority will make the following corrections, clarifications and changes in the tender documentation. 2. Alterations 2.1 Fortanningsposter in Paradisbukta The changes related to the fortanning (rock keying) in Paradisbukta have been incorporated in the revised quantity description and revised drawing published in Mercell. The original Post 05.4.2.2 expires and is replaced by post 05.4.2.3, 05.4.2.4, 05.4.2.5 and 05.4.2.6. In addition the sentence "Fortanning utføres med pigging.", in the general text under post 05.1.1. References to drawing 10272182-RIG-TEG-002 shall be understood as references to drawing 10272182-RIG-TEG-002_rev02. Tender offers for the works in Paradisbukta shall be submitted on the basis of the revised technical description "00 Gjennomseiling Herøy-Ulstein_rev 2" dated 29.04.2026 and the accompanying revised drawings published in Mercell. The revised price basis for the rock keying (fortanningsarbeidene) thus consists of general text in point 05.1.1, the revised posts for the rock keying 05.4.2.3, 05.4.2.4, 05.4.2.5 and 05.4.2.6, as well as drafts 10272182-RIG-TEG-002_rev02. 2.2 Item 02.01.2 FH1.844A BOBLEGARDIN (bubble screen) In item 02.01.2 FH1.844A BOBLEGARDIN, letter B) Materials, the two sentences that state further technical specifications for the tube system and the compressor capacity. As a result, the indication of compressor capacity approx. 10 m³/min at 7-14 bars excess pressure is omitted from the specification. The post shall instead be understood and priced on the basis of the functional

and technical requirements included in the item. It is the tenderer's responsibility to offer and price a system with sufficient compressor capacity and other equipment to fulfil the item's functional and technical requirements. 2.3 Part I point C on technical and professional qualifications. For Part I point C on technical and professional qualifications, emphasis is put on the fact that the point should not be understood as an independent qualification requirement on specific or exhaustively stated equipment when submitting the tender. The point also does not mean that the tenderer must submit or be bound by a specific machine or equipment list as a basis for assessing whether the qualification requirements are fulfilled. The contracting authority will, therefore, not assess whether the qualification requirements are fulfilled, or reject tenderers, on the basis of whether specific machines or tools are named in the tender offer. Any information about the equipment in the tender will also not be seen as an exhaustive or binding statement of which equipment shall be used in the execution of the contract. The point alone shall be understood as a regulation of the tenderer's responsibility for, at their own capacity or by support from other entities, to provide the necessary resources at the disposal of the contract implementation. 2.4 Deadlines The deadline for receipt of tenders is postponed until 26 May 2026 (12:00). Updated tender deadline and any other revised deadlines are in Merzell. 3. Other conditions All other provisions of the tender documentation remain unchanged. This letter of change shall be read as part of the tender documentation and it will form the basis for submitting tenders.

10.1. Muutos

Osion tunniste: PROCEDURE

10.1. Muutos

Osion tunniste: LOT-0000

Ilmoituksen tiedot

Ilmoituksen tunniste/versio: 6c18f044-da77-4c60-aee3-cd770e21acde - 01

Lomakkeen tyyppi: Kilpailu

Ilmoituksen tyyppi: Hankintailmoitus tai käyttöoikeussopimusta koskeva ilmoitus – vakiojärjestelmä

Ilmoituksen alatyypinumero: 16

Ilmoituksen lähetyspäivä: 30/04/2026 09:19:41 (UTC+00:00) Länsi-Euroopan aika, GMT

Ilmoituksen lähetyspäivä (eSender): 30/04/2026 09:20:06 (UTC+00:00) Länsi-Euroopan aika, GMT

Kielet, joilla tämä ilmoitus on virallisesti saatavilla: englanti

Ilmoituksen julkaisunumero: 302011-2026

EUVL S -lehden numero: 85/2026

Julkaisupäivä: 04/05/2026