

## 350224-2026 - Iomaíocht

### An Iorua – Ethanol – Ethanol as a carbon source in a biological treatment facility

OJ S 98/2026 22/05/2026

Fógra maidir le conradh nó lamháltas — an gnáthchóras

Soláthairtí

## 1. Ceannaitheoir

### 1.1. Ceannaitheoir

Ainm oifigiúil: FREDRIKSTAD VANN AVLØP OG RENOVASJONSFORETAK FREVAR KF

R-phost: [momk@frevar.no](mailto:momk@frevar.no)

Gníomhaíocht an eintitis chonarthaigh: Gníomhaíochtaí a bhaineann leis an uisce

## 2. Nós imeachta

### 2.1. Nós imeachta

Teideal: Ethanol as a carbon source in a biological treatment facility

Cur síos: Tenderers shall deliver ethanol that fulfils the following requirements: The carbon source must be able to be used as a business for bacteriological water purification (MBBR), i. e. it cannot contain poisons for biology; c.f. any denaturing agents. The minimum allowed concentration target of the delivered ethanol is 95%. The carbon source must be clear, colourless fluid, free of particles and impurities. Tenderers shall document the quality with a safety data sheet (SDS) and an analysis certificate for each delivery. The expected consumption in the first year will be significantly lower with more occasional needs due to the start-up phase of the biological treatment facility with the accompanying start-up curve. The first delivery in accordance with further agreement íla. July/August.

Aitheantóir an nós imeachta: 7eeaf4ec-4ab2-48a2-b043-3c96c18f7866

Aitheantóir inmheánach: 1

An cineál nós imeachta: Oscailte

Tá an nós imeachta á bhrochtú: níl

Príomhghnéithe an nós imeachta: Function requirement simplified: Carbon source is added to a biological treatment facility for municipal sewage water because carbohydrates are broken down faster than nitrogen compounds do, so that the bacteria therefore lack nutrition to complete the conversion of the nitrogen compounds. The general requirement for a carbon source is therefore that it must be readily available for bacteriological turnover and not lead to poisoning of the bacteria. Requirements of the carbon source in this tender are the requirements that will be used in biological treatment for municipal sewage water (MBBR) with the requirements set for the carbon source. Sizing

#### 2.1.1. Cuspóir

Cineál an chonartha: Soláthairtí

Príomhaicmiú (cpv): 24322220 Ethanol

Aicmiú breise (cpv): 60000000 Transport services (excl. Waste transport)

#### 2.1.2. An áit feidhmíochta

Foroinn tíre (NUTS): Østfold (NO083)

Tír: An Iorua

#### 2.1.4. Eolas ginearálta

**Bunús dlí:**

Treoir 2014/25/AE

Forsyningsforskriften - Utilities Regulations

**2.1.6. Forais eisiaimh**

Foinse na gcúiseanna eisiúna: Doiciméad Soláthair

**5. Luchtóg**

---

**5.1. Luchtóg: LOT-0000**

Teideal: Ethanol as a carbon source in a biological treatment facility

Cur síos: Tenderers shall deliver ethanol that fulfils the following requirements: The carbon source must be able to be used as a business for bacteriological water purification (MBBR), i. e. it cannot contain poisons for biology; c.f. any denaturing agents. The minimum allowed concentration target of the delivered ethanol is 95%. The carbon source must be clear, colourless fluid, free of particles and impurities. Tenderers shall document the quality with a safety data sheet (SDS) and an analysis certificate for each delivery. The expected consumption in the first year will be significantly lower with more occasional needs due to the start-up phase of the biological treatment facility with the accompanying start-up curve. The first delivery in accordance with further agreement ila. July/August.

Aitheantóir inmheánach: 1

**5.1.1. Cuspóir**

Cineál an chonartha: Soláthairtí

Príomhaicmiú (cpv): 24322220 Ethanol

Aicmiú breise (cpv): 60000000 Transport services (excl. Waste transport)

**5.1.2. An áit feidhmíochta**

Foroinn tíre (NUTS): Østfold (NO083)

Tír: An Iorua

**5.1.3. Fad measta**

Fad ama: 48 Míonna

**5.1.4. Athnuachan**

Athnuachaintí uasta: 2

**5.1.6. Eolas ginearálta****Rannpháirtíocht fhorchoimeáda:**

Ní fhorchoimeádtar an rannpháirtíocht.

Tá an soláthar cumhdaithe ag an gComhaontú maidir le Soláthar Rialtais (GPA): níl

**5.1.9. Critéir roghnúcháin**

Foinse na gcritéir roghnaithe: Doiciméad Soláthair

**5.1.11. Doiciméid soláthair**

Na teangacha ina bhfuil na doiciméid soláthair ar fáil go hoifigiúil: Ioruais

Seoladh na ndoiciméad soláthair: <https://permalink.mercell.com/284317562.aspx>**5.1.12. Téarmaí soláthair****Téarmaí na haighneachta:**

Cur isteach leictreonach: Éigeantach

Seoladh an chur isteach: <https://permalink.mercell.com/284317562.aspx>

Na teangacha inar féidir tairiscintí nó iarrataí ar rannpháirtíocht a chur isteach: Ioruais  
Catalóg leictreonach: Ní ceadmhach  
Leaganacha malartacha: Ní ceadmhach  
Spriodhata chun tairiscintí a fháil: 23/06/2026 10:00:00 (UTC+00:00) Am Iarthar na hEorpa, GMT

An tréimhse le linn a gcaithfidh an tairiscint a bheith bailí: 3 Míonna

**Eolas faoi oscailt phoiblí:**

Dáta oscailte: 23/06/2026 10:00:00 (UTC+00:00) Am Iarthar na hEorpa, GMT

**Téarmaí an chonartha:**

Ní mór an Conradh a chur i gcrích faoi chuimsiú clár fostaíochta dídeanaí: Ní hea  
Coinníollacha a bhaineann le comhlíonadh an chonartha: FREVAR KF procurement terms  
Socrú airgeadais: FREVAR KF procurement terms

**5.1.15. Teicnící**

**Creat-chomhaontú:**

Níl feidhm ag creat-chomhaontú

**Eolas faoin gcóras ceannaigh dinimiciúil:**

Níl feidhm ag córas ceannaigh dinimiciúil

**5.1.16. Tuilleadh eolais, idirghabháil agus athbhreithniú**

Eagraíocht athbhreithniúcháin: Søndre Østfold Tingrett

Eolas faoi spriodhataí athbhreithnithe: Waiting period 10 days

Eagraíocht a sholáthraíonn faisnéis bhreise faoin nós imeachta soláthair: FREDRIKSTAD VANN AVLØP OG RENOVASJONSFORETAK FREVAR KF

Eagraíocht a sholáthraíonn tuilleadh faisnéise faoi na nósanna imeachta athbhreithnithe: FREDRIKSTAD VANN AVLØP OG RENOVASJONSFORETAK FREVAR KF

## 8. Eagraíochtaí

---

**8.1. ORG-0001**

Ainm oifigiúil: FREDRIKSTAD VANN AVLØP OG RENOVASJONSFORETAK FREVAR KF

Uimhir chlárúcháin: 979952171

Seoladh poist: Postboks 1430

Baile: FREDRIKSTAD

Cód poist: 1602

Foroinn tíre (NUTS): Østfold (NO083)

Tír: An Iorua

Pointe teagmhála: Mona Østmark

R-phost: [momk@frevar.no](mailto:momk@frevar.no)

Teil.: +47 69357300

Facs: +47 69357301

Seoladh idirlín: <http://www.frevar.com>

**Róil na heagraíochta seo:**

Ceannaitheoir

Eagraíocht a sholáthraíonn faisnéis bhreise faoin nós imeachta soláthair

Eagraíocht a sholáthraíonn tuilleadh faisnéise faoi na nósanna imeachta athbhreithnithe

**8.1. ORG-0002**

Ainm oifigiúil: Søndre Østfold Tingrett

Uimhir chlárúcháin: 926722808

Baile: Fredrikstad

Cód poist: 1601  
Foroinn tíre (NUTS): Østfold (NO083)  
Tír: An Iorua  
**Róil na heagraíochta seo:**  
Eagraíocht athbhreithniúcháin

## Eolas faoin bhfógra

---

Aitheantóir/leagan an fhógra: 6825a567-8559-4794-9b45-70c0903a4752 - 01  
Cineál na foirme: Iomaíocht  
Cineál an fhógra: Fógra maidir le conradh nó lamháltas — an gnáthchóras  
Fochineál an fhógra: 17  
Dáta seolta an fhógra: 21/05/2026 11:01:26 (UTC+00:00) Am Iarthar na hEorpa, GMT  
Dáta seolta an fhógra (eSender): 21/05/2026 11:30:32 (UTC+00:00) Am Iarthar na hEorpa, GMT  
Na teangacha ina bhfuil an fógra seo ar fáil go hoifigiúil: Béarla  
Uimhir foilseacháin an fhógra: 350224-2026  
Uimhir eagráin IO S: 98/2026  
Dáta foilsithe: 22/05/2026